

AUSTRALASIAN ANTARCTIC EXPEDITION
1911-14

UNDER THE LEADERSHIP OF SIR DOUGLAS MAWSON, D.Sc., F.R.S.

SCIENTIFIC REPORTS,
SERIES A.

VOL. IV.

GEOLOGY.

PART 13.

CATALOGUE OF ROCKS AND MINERALS

COLLECTED IN
ANTARCTIC LANDS

PREPARED BY
DOUGLAS MAWSON

PRICE: THREE SHILLINGS.

Wholly set up and printed in Australia by
THOMAS HENRY TENNANT, GOVERNMENT PRINTER, SYDNEY, NEW SOUTH WALES, AUSTRALIA.

1940.

SERIES A.

VOL.	PRICE. £ s. d.
I. CARTOGRAPHY AND PHYSIOGRAPHY. Brief narrative and reference to Physiographical and glaciological features. Geographical discoveries and Cartography. By DOUGLAS MAWSON.	
II. OCEANOGRAPHY.	
PART 1.—SEA-FLOOR DEPOSITS FROM SOUNDINGS. By FREDERICK CHAPMAN ...	0 6 0
" 2.—TIDAL OBSERVATIONS. By A. T. DOODSON	0 4 0
" 3.—SOUNDINGS. By J. K. DAVIS	0 2 6
" 4.—HYDROLOGICAL OBSERVATIONS, MADE ON BOARD S.Y. "AURORA." Reduced, Tabulated and Edited by DOUGLAS MAWSON	0 3 0
" 5.—MARINE BIOLOGICAL PROGRAMME AND OTHER ZOOLOGICAL AND BOTANICAL ACTIVITIES. By DOUGLAS MAWSON	0 7 6
III. GEOLOGY.	
PART 1.—THE METAMORPHIC ROCKS OF ADELIE LAND. By F. L. STILLWELL ...	2 2 0
" 2.—THE METAMORPHIC LIMESTONES OF COMMONWEALTH BAY, ADELIE LAND. By C. E. TILLEY	0 1 6
" 3.—THE DOLERITES OF KING GEORGE LAND AND ADELIE LAND. By W. R. BROWNE	0 1 6
" 4.—AMPHIBOLITES AND RELATED ROCKS FROM THE MORAINES, CAPE DENISON, ADELIE LAND. By F. L. STILLWELL	0 2 0
" 5.—MAGNETITE GARNET ROCKS FROM THE MORAINES AT CAPE DENISON, ADELIE LAND. By ARTHUR L. COULSON	0 2 0
" 6.—PETROLOGICAL NOTES ON FURTHER ROCK SPECIMENS. By J. O. G. GLASTONBURY	0 3 6
IV. GEOLOGY.	
PART 1.—THE ADELIE LAND METEORITE. By P. G. W. BAYLEY and F. L. STILLWELL.	0 1 6
" 2.—PETROLOGY OF ROCKS FROM QUEEN MARY LAND. By S. R. NOCKOLDS.	0 8 6
" 3.—GRANITES OF KING GEORGE LAND AND ADELIE LAND. By H. S. SUMMERS and A. B. EDWARDS. Appendix by A. W. KLEEMAN	0 3 9
" 4.—ACID EFFUSIVE AND HYPABYSSAL ROCKS FROM THE MORAINES. By J. O. G. GLASTONBURY	0 2 6
" 5.—BASIC IGNEOUS ROCKS AND METAMORPHIC EQUIVALENTS FROM COMMONWEALTH BAY. By J. O. G. GLASTONBURY	0 5 6
" 6.—CERTAIN EPIDOTIC ROCKS FROM THE MORAINES, COMMONWEALTH BAY. By J. O. G. GLASTONBURY	0 1 6
" 7.—SCHISTS AND GNEISSES FROM THE MORAINES, CAPE DENISON, ADELIE LAND. By A. W. KLEEMAN	0 12 0

PART 13.

CATALOGUE OF ROCKS
AND MINERALS

COLLECTED IN
ANTARCTIC REGIONS.

PREPARED BY
DOUGLAS MAWSON.

[A.A.E. Reports, Series A, Vol. IV, Part 13, Pages 405-432.]

Issued, June, 1940.

CATALOGUE OF ROCKS AND MINERALS

Collected in
ANTARCTIC LANDS.

Prepared by
DOUGLAS MAWSON.

THE object of this catalogue is not merely to supply a list of rocks collected, but to act in some measure as an index in relation to the descriptive petrological contributions forming Volumes III and IV of this Series. Where reference has been made to particular specimens in the descriptive reports of Volumes III and IV the fact is noted in the last column of this list where the particular part dealing with it is indicated.

All the main types represented in the collection have been described, but there are many other specimens which are only slight variations of described types. Many of these have either not been actually sectioned and described or have been included in general descriptions without special mention of their catalogue numbers. This record, therefore, by listing all the rocks collected, with descriptive title appended, supplies in a concise manner a general review of the assembly of rocks represented in the Antarctic territories visited.

This list does not include the collection of rocks secured in dredgings off Antarctic Coasts. Also, of course, the large collection from Macquarie Island is dealt with elsewhere.

The list detailed below needs little explanation, but attention is drawn to the fact that unless there is mention of the rock being an "erratic" it was collected *in situ*. Also in order to reduce the bulk of printing, "C.D." is used in some places as a contraction of Cape Denison, and "Q.M.L." as a contraction of Queen Mary Land.

It will be noted that there are some gaps in the consecutive numbering of the main collection from Western Queen Mary Land which was allocated numbers from 1001 to 1137. This collection made by C. A. Hoadley was stored by him for ten years at Melbourne University before description was seriously undertaken, and in that interval some of the specimens were lost.

The main collection of these rocks and minerals has been kept as intact as possible for future reference. By agreement with the Government of New South Wales whereby the major cost of printing these reports was met by them, this rock and mineral collection is now housed in Sydney at the Australian Museum.

Specimen Number.	Descriptive title, etc.	Locality.	Where cited.
1	Granodiorite gneiss, <i>in situ</i> , (near Magnetograph House)	Cape Denison.	
2	Biotite-felspar-gneiss (similar to 6), (near Magnetograph House)	Cape Denison.	
2A	Biotite-felspar-gneiss (very similar to 6), (near Magnetograph House)	Cape Denison.	
2B	Pyrite and magnetite in band of gneiss, (near Magnetograph House)	Cape Denison	IV. 12
3	Biotite-felspar-gneiss (containing pyrite) (near Magnetograph House) (cf. 6)	Cape Denison.	
4	Biotite-hornblende-schist (without felspar) (found as a clot in amphibolite dyke).	Cape Denison	III. 1
5	Amphibolite occurring as dark patches in gneiss at 50 ft. N.E. of No. 4 with epidote, fluorite and stilbite in joint planes.	Cape Denison	{ III. 1 IV. 12
6	Biotite-felspar-gneiss (S. of Magnetograph House and about 200 yds. due S. of No. 5).	Cape Denison.	
7	Biotite-gneiss (<i>in situ</i> a little south of No. 6)	Cape Denison.	
8	Biotite-hornblende-schist occurring as patches in the granodiorite gneiss a few yards east of the Main Living Hut.	Cape Denison.	
9	Amphibolite (coarse) (near Magnetograph House)	Cape Denison	III. 1
10	Biotite-felspar-gneiss, (S.E. corner of Main Hut)	Cape Denison	III. 1
10A	Granulitic aplitic gneiss, from vein in gneiss (alongside the Magnetic Hut)	Cape Denison	III. 1
11	Granodiorite gneiss (from ridge near Anemometer)	Cape Denison	III. 1
12	Granodiorite gneiss with more prominent banding (occurs close to 11)	Cape Denison.	
13	Hornblende-gneiss. Transition between amphibolite and granodioritic gneiss (near Hut).	Cape Denison	III. 1
14	Felspar out of No. 10A formation	Cape Denison.	
15	Tourmalinised, garnetiferous, granite gneiss	Erratic, C.D.	IV. 7
15A	Coarse garnetiferous gneiss	Erratic, C.D.	
16	Typical granodiorite gneiss	Cape Denison	III. 1
17	Copper and iron pyrites in a quartz vein traversing granodiorite gneiss	Cape Denison.	
18	Garnetiferous granitic gneiss	Erratic, C.D.	
19	Red sandstone	Erratic, C.D.	
20	Biotite-quartz vein in granodiorite gneiss	Cape Denison.	
21	Coarse biotite and garnetiferous gneissic pegmatite containing copper pyrites	Erratic, C.D.	
22	Garnet-biotite-felspar-quartz-gneiss	Erratic, C.D.	
23	Coarse felspar-quartz-biotite-gneissic vein with occasional pyrites. (S. of Anemometer).	Cape Denison.	
23A	Copper and iron pyrites in quartz vein traversing gneiss. (S. of Anemometer)	Cape Denison	IV. 12
24	Epidote on a joint face in amphibolite (from locality east of the Hut)	Cape Denison.	
25	Coarse biotite-quartz vein traversing amphibolite	Cape Denison.	
26	Molybdenite with molybdic ochre in vein quartz <i>in situ</i> E. of Anemometer	Cape Denison	IV. 12
27	A highly felspathic pegmatitic schlier in the gneiss	Cape Denison.	
28	Apatite in granodioritic pegmatitic gneiss (near Magnetic Hut)	Cape Denison	IV. 12
29	Vein quartz stained with malachite traversing gneissic formation. (North of Anemometer).	Cape Denison.	
30	A biotite-quartz-felspar pegmatitic vein in granodiorite gneiss (from ridge north of Magnetic Hut).	Cape Denison.	
31	Magnetite and allanite in a band of adamellite gneiss (near Magnetic Hut)	Cape Denison	IV. 12
32	Chlorite-amphibolite traversed by a pegmatitic vein of red felspar, etc.	Erratic, C.D.	IV. 9
33	Light coloured band in granodiorite gneiss (contains allanite)	Cape Denison.	
34	Quartz-felspar vein containing magnetite traversing gneisses (North of Magnetic Hut).	Cape Denison.	
35	Coarse felspathic gneiss traversed by a vein of epidote. Occurs as an irregular N. and S. vein just north of Magnetograph Hut.	Cape Denison.	
36	Very fine-grained vein quartz	Erratic, C.D.	
37	Tourmaline-bearing, aplitic, felspar-quartz gneiss	Erratic, C.D.	
38	Pyroxene-epidote-marble	Erratic, C.D.	III. 2
39	Granitoid gneiss	Erratic, C.D.	IV. 7
40	Pyrite in gneissic adamellite at junction with inclusion of mica schist	Cape Denison	IV. 12
41	Pyrite in leucocratic band in granodiorite gneiss (50 yards S. of Magnetic Hut)	Cape Denison	IV. 12
42	Pyrite and epidote in siliceous vein in gneiss (from near Magnetograph House)	Cape Denison	IV. 12
43	Fluorite, pyrite and epidote in granodiorite gneiss (50 yards S. of Magnetic Hut).	Cape Denison	IV. 12
44	Red microcline granite, somewhat altered. Epidote and fluorite along fissures in it.	Erratic, C.D.	{ IV. 12 IV. 3
45	Epidote and fluorite on junction of granodiorite gneiss and schist band (at 100 yards S. of Anemometer).	Cape Denison	IV. 12
46	Epidote in gneiss	Cape Denison.	
47	Apatite in felspathic pegmatitic gneiss	Erratic, C.D.	IV. 12
48	Magnetite in felspathic vein in gneiss (near the absolute Magnetic Hut)	Cape Denison.	
49	Siliceous vein breccia	Erratic, C.D.	
50	Laminated hornblende-biotite-lawsonite-felspar-injection-gneiss	Erratic C.D.	IV. 9
51	Hornblende-quartz-plagioclase-schist	Erratic, C.D.	III. 4
52	Epidotised gneiss	Erratic, C.D.	
53	Garnetiferous-biotite-muscovite-quartz schist	Erratic, C.D.	IV. 7
54	Reddish coloured felspar-biotite-quartz-gneiss	Erratic, C.D.	
54A	Reddish coloured felspar-biotite-hornblende-quartz-gneiss (near to 54 and like 164).	Erratic, C.D.	

Specimen Number.	Descriptive title, etc.	Locality.	Where cited.
55	Mica-magnetite-schist	Erratic, C.D.	III. 5
56	Oligoclase (cellular and pegmatitic)	Erratic, C.D.	IV. 12
57	Hornblende gabbro-gneiss	Erratic, C.D.	
58	Typical granodiorite gneiss (cf. 11)	Cape Denison.	
59	Hypersthene-felspar-gneiss. 20 feet wide band with ill-defined borders at Kellick Cove at Stillwell Island (like 971).	Stillwell Island	III. 6
60	Alkali-felspar-gneiss with allanite (from near Magnetograph Hut)	Cape Denison	III. 1 IV. 12
61	Pegmatite vein trending E. and W. close to apatite-bearing pegmatite at Beryl Peak.	Cape Denison.	
62	Pegmatitic vein of orthoclase and muscovite (near Lake III)	Cape Denison.	
63	Similar to 62 but containing small blue-green apatite crystals	Cape Denison.	
64	Quartz of pegmatite vein crossing the gneisses near Lake III	Cape Denison.	
65	Muscovite from a garnet-felspar-quartz-pegmatite crossing gneisses	Cape Denison.	
65A	Muscovite in reef quartz from pegmatite intersecting the granodiorite gneisses. Muscovite up to 4" diameter and books 1" thick.	Cape Denison	IV. 12
65B	Albitic felspar in pegmatite vein	Cape Denison.	
66	Biotite in pegmatite (near Lake III)	Cape Denison	IV. 12
67	Garnet graphically intergrown with quartz (from a pegmatite 8' wide trending N. and S.).	Cape Denison	IV. 12
68	Epidote in joint planes in granodiorite gneiss	Cape Denison	IV. 12
69	Apatite in quartz vein 18" wide trending E. and W. at Beryl Peak	Cape Denison	IV. 12
70	Pyrite and magnetite in quartz vein (which elsewhere carries apatite) 18" wide trending E. and W. at Beryl Peak.	Cape Denison.	
71	Typical quartz-felspar-pegmatite	Cape Denison.	
72	Typical quartz-felspar-pegmatite with garnet graphically intergrown with muscovite. Vein intersects gneisses near Lake III.	Cape Denison	IV. 12
73	Pyrite in gneissic adamellite (near Magnetograph Hut)	Cape Denison	IV. 12
74	Magnetite in leucocratic band in gneiss	Cape Denison	IV. 12
75	Garnet massive and graphically intergrown (from pegmatite near Lake III)	Cape Denison.	
75A	Brown felsite with moderately abundant phenocrysts	Erratic, Cape Hunter	IV. 4
76	Hornblende granodiorite (closely similar to 859)	Erratic, C.D.	
77	Apatite in vein quartz (from E. and W. vein 12" wide at Beryl Peak)	Cape Denison	IV. 12
78	Hornblende and chlorite (in association with vein quartz)	Erratic, C.D.	IV. 12
79	Gneissic granite	Erratic, C.D.	IV. 7
80	Apatite-bearing, garnet-pegmatite	Erratic, C.D.	IV. 7
81	Apatite-bearing, garnet-pegmatite	Erratic, C.D.	IV. 7
82	Garnetiferous, granitic gneiss	Erratic, C.D.	
83	Fine-grained garnetiferous gneiss (similar to the finer-grained part of 606)	Erratic, C.D.	
84	Garnetiferous gneiss	Erratic, C.D.	
85	Malachite-stained vein in biotite-gneiss	Erratic, C.D.	
86	Copper-stained leucocratic garnetiferous vein traversing mica-schist	Erratic, C.D.	
87	Garnetiferous granitic gneiss	Erratic, C.D.	
88	Copper-stains in a coarse garnet-felspar-gneiss	Erratic, C.D.	IV. 12
89	Epidote veins in granitic gneiss (cf. 715)	Erratic, C.D.	
90	Copper stains in a coarse siliceous garnetiferous gneissic pegmatite related to 88 and 694).	Erratic, C.D.	IV. 12
91	Garnet-amphibolite	Erratic, C.D.	
92	Garnet-felspar-gneiss (almost same as 90)	Erratic, C.D.	
93	Tourmaline-bearing pegmatite	Erratic, C.D.	
94	Quartz-felspar-gneiss with disseminated magnetite crystals. A pegmatitic white rock with golden muscovite.	Erratic, C.D.	
95	Hornblende gneiss	Erratic, C.D.	
96	Quartz-felspar vein with copper stain in schist	Erratic, C.D.	
97	Crushed, sericitised, feldspathic pegmatite with deformed apatite crystals	Erratic, C.D.	IV. 12
98	Dark schist veined with epidote and red felspar	Erratic, C.D.	
99	Tourmaline-bearing gneiss	Erratic, C.D.	
100	Biotite-sillimanite-garnet-cordierite-paragneiss (very like 100A)	Erratic, C.D.	IV. 10
100A	Cordierite-biotite-sillimanite-gneiss with kornuperine	Erratic, C.D.	IV. 12
101	Siliceous muscovite-tourmaline-pegmatite	Erratic, C.D.	
102	Garnet-quartz-magnetite rock	Erratic, C.D.	III. 5
103	Chloritised schist rock from a shatter zone (related to 102)	Erratic, C.D.	
104	Dumortierite with apatite and magnetite in siliceous pegmatite intersecting schists.	Erratic, C.D.	IV. 12
105	Spotted pink feldspathic gneiss	Erratic, C.D.	
106	Mica-schist	Erratic, C.D.	
107	Chlorite-amphibolite	Erratic, C.D.	
108	Grey vein quartz	Erratic, C.D.	IV. 12
109	Anthophyllite-schist	Erratic, C.D.	III. 4
110	Garnetiferous, aplitic gneiss	Erratic, C.D.	
111	Amphibolite	Erratic, C.D.	
112	Bytownite-biotite-gneiss	Erratic, C.D.	IV. 7
113	Grey chloritic quartzose schist	Erratic, C.D.	

Specimen Number.	Descriptive title, etc.	Locality.	Where cited.
114	Grey chloritic quartzose schist	Erratic, C.D.	
115	Basalt (somewhat altered)	Erratic, C.D.	IV. 5
116	Leucocratic band in gneiss	Erratic, C.D.	
117	White forsterite-marble	Erratic, C.D.	
118	Leucocratic band in granodiorite-gneiss	Cape Denison.	
119	Clino-enstatite embedded in a quartzo-felspathic gneiss (related to 188)	Erratic, C.D.	IV. 12
120	A hybrid hornblende-chlorite-felspar-gneiss	Erratic, C.D.	IV. 9
121	A greatly altered quartzite	Erratic, C.D.	
122	Chloritic gneiss	Erratic, C.D.	
123	Granite-gneiss (similar to 523)	Erratic, C.D.	
124	Arsenical pyrite in a pegmatite schlier in gneiss	Cape Denison	IV. 12
125	Sandstone with curious reddish brown markings	Erratic, C.D.	IV. 11
125A	Reddish-brown sandstone (exhibiting well-defined bedding planes)	Erratic, C.D.	IV. 11
125B	Chocolate-coloured sandstone	Erratic, C.D.	IV. 11
125C	Red sandstone	Erratic, C.D.	IV. 11
126	Forsterite-marble	Erratic, C.D.	
127	Forsterite-marble	Erratic, C.D.	
128	Carbonate-free, calc-silicate rock	Erratic, C.D.	III. 2
128A	Black tourmaline in a gneissic felspar-quartz rock	Erratic, C.D.	
129	Fragment of a crush zone in calc-silicate rock. Heavily seamed with quartz veins.	Erratic, C.D.	
130	Magnetite-quartz-chlorite-schist	Erratic, C.D.	IV. 7
131	Wind-weathered pink sandstone	Erratic, C.D.	IV. 11
132	Epidote-marble	Erratic, C.D.	III. 2
132A	Vein quartz	Erratic, C.D.	
133	Sandstone traversed by thin quartz vein	Erratic, C.D.	IV. 11
133A	Granitic gneiss	Erratic, C.D.	
134	Felspar	Erratic, C.D.	
135	Forsterite-marble (with chondrodite)	Erratic, C.D.	III. 2
136	Forsterite-marble (very similar to 135)	Erratic, C.D.	
137	Forsterite-marble	Erratic, C.D.	III. 2
138	Epidote-actinolite-microcline calc-silicate rock	Erratic, C.D.	
139	Apatite-rich, felspar-quartz-biotite-pegmatite (closely related to 691)	Erratic, C.D.	
140	Granodioritic gneiss bearing magnetite in segregation veins	Cape Denison	III. 1
141	Contorted gneiss (from ridge below the Magnetic Hut)	Cape Denison.	
142	Amphibolite (with crystals of saussuritised felspar)	Cape Denison	III. 6
143	Biotite-amphibolite (with nodular crystals of magnetite surrounded by felspar).	Cape Denison	III. 1
43A	Granodiorite-gneiss	Cape Denison	III. 1
144	Biotite-felspar-gneiss	Cape Denison	III. 1
145	Biotite-felspar-gneiss	Cape Denison	III. 1
146	Biotite-felspar-gneiss	Cape Denison	III. 1
147	Magnetite-garnet-schist	Erratic, C.D.	III. 5
147A	Aplitic gneiss (between Lakes I and II) (related to 150)	Cape Denison.	
147B	Gneiss bordering on a white felspar-quartz segregation situated between Lakes I and II.	Cape Denison.	
148	Aplitic gneiss (as segregation vein taken along a transverse section E. and W.) between Lakes I and II (related to 150).	Cape Denison.	
149	Magnetite-garnet-gneiss	Erratic, C.D.	III. 5
149A	Alkali-felspar-gneiss (aplitic) between Lakes I and II (related to 150)	Cape Denison.	
150	Aplite gneiss (between Lakes I and II)	Cape Denison	III. 1
151	Alkali-felspar-gneiss (between Lakes I and II) (related to 150)	Cape Denison.	
152	Gneissic band from near Lakes I and II	Cape Denison.	
153	Epidote-biotite-schist (from W. of the Azimuth peg)	Cape Denison	III. 1
154	Alkali-felspar-gneiss (allanite-bearing) (from near Magnetic Hut)	Cape Denison	III. 1
155	Sillimanite-magnetite-biotite-schist	Erratic, C.D.	IV. 10
156	Charnockite-gneiss	Erratic, C.D.	IV. 7
157	Epidote-felspar-quartz-schist	Erratic, C.D.	III. 4
158	Siliceous, epidotic-gneiss	Erratic, C.D.	
159	Hornblende, granitic-gneiss	Erratic, C.D.	
160	Hornblende-gneiss with band of amphibolite	Erratic, C.D.	III. 1
161	Garnet-biotite-quartz-schist	Erratic, C.D.	IV. 7
161A	Fine-grained garnetiferous-mica-schist	Erratic, C.D.	
162	Chlorite-epidote-hornblende-labradorite-schist	Erratic, C.D.	
162A	Biotite-muscovite-sillimanite-gneiss	Erratic, C.D.	IV. 7
163	Hornblende augen-gneiss (similar to 413)	Erratic, C.D.	
164	Red felspar-biotite-hornblende-quartz-gneiss (like 54A and 378)	Erratic, C.D.	
165	Garnet-sillimanite-schist	Erratic, C.D.	IV. 10
166	Hybrid-siliceous-garnetiferous-gneiss (related to 948)... ..	Erratic, C.D.	
167	Garnet-magnetite-schist (related to 147)	Erratic, C.D.	
168	Coarse garnet-biotite-felspar-gneiss (associated with 168A)	Erratic, C.D.	IV. 10
168A	Garnet-sillimanite-biotite-felspar-gneiss (associated with 168)	Erratic, C.D.	
169	Hornblende-plagioclase-gneiss (in which clots of pyroxene and amphibolite occur).	Erratic, C.D.	III. 4

Specimen Number.	Descriptive title, etc.	Locality.	Where cited.
169A	Schlier of amphibolite in a hornblende gneiss	Erratic, C.D.	III. 4
169B	Pyroxene schlier in hornblende-gneiss	Erratic, C.D.	III. 4
170	Hornblende-plagioclase-gneiss	Erratic, C.D.	III. 4
171	Hornblende	Erratic, C.D.	
172	Epidote-saussurite rock	Erratic, C.D.	
173	Malachite and limonite (from pyrite) in reef quartz	Erratic, C.D.	IV. 12
174	Vein of epidote in gneiss	Erratic, C.D.	
175	Hornblende-schist with schliers of actinolite (very like 169)	Erratic, C.D.	
176	Green copper stain on siliceous crushed gneiss	Erratic, C.D.	IV. 12
177	Green copper stain on milky quartz	Erratic, C.D.	IV. 12
178	Coarse, acid gneiss with clear felspar	Erratic, C.D.	
179	Diopside-tremolite rock (cf. 877)	Erratic, C.D.	
180	Film of haematite on siliceous, epidotic gneiss	Erratic, C.D.	IV. 12
181	Porphyroblastic magnetite-garnet-gneiss	Erratic, C.D.	III. 5
182	Chloritized biotite-felspar gneiss	Erratic, C.D.	IV. 12
183	Siliceous vein intersecting calc-silicate rock	Erratic, C.D.	
184	A graphic intergrowth of quartz and garnet in pegmatite	Erratic, C.D.	
185	Pegmatitic, garnetiferous felspar-biotite-gneiss. Contains traces of copper pyrites.	Erratic, C.D.	
186	Tremolite-diopside rock	Erratic, C.D.	
187	Fine-grained tourmaline-bearing, pegmatitic, quartz-felspar-muscovite-gneiss.	Erratic, C.D.	
188	Clino-enstatite in a brecciated quartz-felspar-pyroxene-gneiss	Erratic, C.D.	IV. 12
189	Cordierite-gneiss (near 927 type)	Erratic, C.D.	
190	Tourmaline-bearing pegmatite	Erratic, C.D.	
191	Siliceous vein breccia	Erratic, C.D.	
192	A tourmaline-rich acid pegmatite like 857 (suggests granodiorite following)	Erratic, C.D.	
193	Hornblende-plagioclase-schist or coarse amphibolite	Erratic, C.D.	IV. 5
194	Tourmalinised granite-gneiss	Erratic, C.D.	IV. 7
195	Gneissic gabbro	Erratic, C.D.	
196	Tourmaline-bearing pegmatite	Erratic, C.D.	
197	Epidote-rich band in gneiss	Erratic, C.D.	
198	Milky reef quartz	Erratic, C.D.	
199	Mylonite	Erratic, C.D.	IV. 7
200	Hornblende-granite (somewhat altered)	Erratic, C.D.	IV. 3
201(i)	Aplitic gneissic granite with red felspar	Erratic, C.D.	IV. 3
201(ii)	Medium to fine-grained dark red, biotite-granite (apparently related to 201(i)).	Erratic, C.D.	
201A	Uneven-grained red granite (somewhat altered)	Erratic, C.D.	IV. 3
201B	Red granite (very similar to 201A)	Erratic, C.D.	IV. 3
201C	A coarse alaskitic red granite	Erratic, C.D.	IV. 3
202	Pink felspar granite with chloritised biotites and a gneissic foliation (related to 447 and 844).	Erratic, C.D.	
203	Mottled light pink biotite-granite (somewhat foliated)	Erratic, C.D.	
203A	Uneven-grained biotite-granite (somewhat related to 562)	Erratic, C.D.	
204	Reddish-brown felsite	Erratic, C.D.	IV. 4
204A	Reddish-brown felsite (near 204)	Erratic, C.D.	IV. 4
204B	Reddish-brown felsite with abundant phenocrysts	Erratic, C.D.	IV. 4
204C	Reddish-brown felsite	Erratic, C.D.	IV. 4
204D	Light brown felsite with phenocrysts	Erratic, C.D.	IV. 4
205	Tourmaline-rich, even-grained granite	Erratic, C.D.	
206	Gneissic acid porphyry	Erratic, C.D.	
207	Gneissic granite	Erratic, C.D.	IV. 7
208	Essexitic dolerite	Erratic, C.D.	III. 2
209	Hornblende schist with areas of talc	Erratic, C.D.	III. 4
210	Epidote-chlorite-schist	Erratic, C.D.	III. 4
211	Chloritised 'crush rock'	Erratic, C.D.	
212	Porphyroblastic pyroxene-amphibolite	Erratic, C.D.	III. 1
213	Red aplitic granite (like 201(i))	Erratic, C.D.	
214	Gneissic granite	Erratic, C.D.	IV. 7
215	Tourmaline-rich, pegmatitic-quartz-felspar-gneiss	Erratic, C.D.	
216	Tourmaline-rich, gneissic muscovite-granite	Erratic, C.D.	
217	Red coloured felsitic dacite	Erratic, C.D.	
218	Monzonite	Erratic, C.D.	IV. 3
219	Red felspar granite related to 201A but richer in ferromagnesian constituent	Erratic, C.D.	
220	Aplitic band in gneiss	Erratic, C.D.	
221	Aplite vein in granite	Erratic, C.D.	IV. 3
222	Granophytic micro-granite, resembling (but coarser-grained than) (840)	Erratic, C.D.	
223	Biotite-granite	Erratic, C.D.	IV. 3
224	Vesicular basalt	Erratic, C.D.	IV. 5
224A	Porphyrite (like 919 and 446)	Erratic, C.D.	IV. 4
225	Diopside-tremolite rock	Erratic, C.D.	IV. 8
225A	Hornblende-biotite-granite	Erratic, C.D.	
226	Laminated hornblende, pegmatitic, injection-gneiss (like 50)	Erratic, C.D.	IV. 9

Specimen Number.	Descriptive title, etc.	Locality.	Where cited.
227	Biotite-pyroxene-garnet-gneiss	Erratic, C.D.	III. 4
228	Epidotic quartzite... ..	Erratic, C.D.	IV. 7
229	Chlorite-hornblende-schist	Erratic, C.D.	III. 4
230	Diopside-tremolite-marble	Erratic, C.D.	
231	Hornblende-gneiss fractured by frost (see vol. III, Pt. 1, Plate XI, fig. 3)	Erratic, C.D.	III. 1
232	Mica-gneiss (related to 256)	Erratic, C.D.	
233	Chlorite-hornblende-schist	Erratic, C.D.	III. 4
234	Granitic gneiss	Erratic, C.D.	IV. 7
235	Garnetiferous gneiss	Erratic, C.D.	
236	Quartz-felspar-mica-schist	Erratic, C.D.	IV. 7
237	Granitic hornblende-gneiss (similar to 286)	Erratic, C.D.	
238	Sillimanite-quartz-biotite-gneiss	Erratic, C.D.	IV. 7
239	Hornblende-pyroxene-gneiss	Erratic, C.D.	
240	Biotite-plagioclase-gneiss with subordinate hornblende	Erratic, C.D.	III. 4
241	Glaciated fragment of basic schist	Erratic, C.D.	
242	An acid garnet-gneiss. Consists of biotite-garnet schlieren alternating with highly quartzose bands.	Erratic, C.D.	
243	Hybrid hornblende-felspar-gneiss	Erratic, C.D.	IV. 9
244	Blastoporphyritic granitic gneiss (very similar to 234)	Erratic, C.D.	IV. 7
245	Magnetite-garnet-schist	Erratic, C.D.	III. 5
246	Actinolite-schist	Erratic, C.D.	III. 4
247	Chlorite-amphibolite with porphyroblasts of felspar	Erratic, C.D.	III. 4
248	Saussuritised coarse felspar-hornblende-gneiss	Erratic, C.D.	
249	Saussuritised and epidotised coarse felspar-hornblende-gneiss	Erratic, C.D.	IV. 6
250	Oxidised pyritic quartzite	Erratic, C.D.	
251	Pegmatitic segregation vein in amphibolite (same as 721)	Erratic, C.D.	
252	Tourmaline-magnetite-sillimanite-cordierite-gneiss	Erratic, C.D.	III. 5
253	Biotite-felspar pegmatite vein in granodiorite-gneiss (very similar to 20)	Cape Denison.	
254	Chloritic epidosite	Erratic, C.D.	IV. 6
255	Epidosite	Erratic, C.D.	III. 4
255A	Epidote-marble	Erratic, C.D.	
256	Quartz-muscovite-gneiss	Erratic, C.D.	IV. 7
256A	Muscovite-gneiss (related to 256 and 550)	Erratic, C.D.	
257	Epidote-felspar-schist	Erratic, C.D.	III. 4
258	Hornblende-quartz-felspar-gneiss (very like 378)	Erratic, C.D.	
259	Hornblende-plagioclase-gneiss with subordinate biotite	Erratic, C.D.	III. 4
260	Tourmaline-quartz-muscovite-felspar pegmatite stringer in coarse mica-schist (very like 914).	Erratic, C.D.	
261	Amphibole containing siliceous pegmatite vein	Erratic, C.D.	
262	Coarse gneissic quartz-magnetite-felspar rock	Erratic, C.D.	
263	Granite-gneiss	Erratic, C.D.	IV. 7
264	Granite-gneiss (similar to 263)	Erratic, C.D.	
265	Hornblende-mica-felspar-schist	Erratic, C.D.	
266	Partly serpentinised fine-grained limestone: a glaciated boulder	Erratic, C.D.	
267	Epidote-marble	Erratic, C.D.	
268	Coarse magnetite-felspar-garnet-gneiss	Erratic, C.D.	
268A	Coarse magnetite in pegmatitic quartz-felspar vein in gneiss	Erratic, C.D.	
269	White marble	Erratic, C.D.	
270	Sillimanite-garnet-bearing granite gneiss	Erratic, C.D.	IV. 7
271	Granite-gneiss	Erratic, C.D.	IV. 7
272	Siliceous band with tourmaline and fine garnet in gneiss	Erratic, C.D.	
273	Garnetiferous biotite-gneiss	Erratic, C.D.	
274	Limonite stains on pyritic gneiss	Erratic, C.D.	IV. 12
275	Sillimanitic-felspathic vein in magnetite-schist	Erratic, C.D.	
276	Granitic gneiss with secondary epidote	Erratic, C.D.	
277	Garnetiferous, gneissic granite	Erratic, C.D.	IV. 7
278	Augen-gneiss	Erratic, C.D.	
279	Garnetiferous microcline-gneiss	Erratic, C.D.	IV. 7
280	Felspar	Erratic, C.D.	
281	Fine-grained, grey, jasperoid rock	Erratic, C.D.	
282	Garnetiferous gneiss with copper stains	Erratic, C.D.	
283	Recrystallised, grey quartz-porphry	Erratic, C.D.	IV. 4
284	Magnetite-rich bands with some garnet in felspathic gneiss	Erratic, C.D.	
285	Gneissic hornblende-granite	Erratic, C.D.	
286	Hornblende granite gneiss (very like 237)	Erratic, C.D.	
287	Tremolite-granulite	Erratic, C.D.	IV. 7
288	Garnet-magnetite-schist	Erratic, C.D.	III. 5
289	Gneissic garnet-pegmatite	Erratic, C.D.	IV. 7
290	Crenulated chlorite-sericite-schist	Erratic, C.D.	IV. 12
291	A glaciated boulder	Erratic, C.D.	IV. 7
292	Red sandstone	Erratic, C.D.	
293	Glaciated boulder	Erratic, C.D.	

Specimen Number.	Descriptive title, etc.	Locality.	Where cited.
294	Contorted magnetite-schist	Erratic, C.D.	III. 5
295	Chloritic phyllite (glaciated)	Erratic, C.D.	
296	Quartz-magnetite-schist	Erratic, C.D.	III. 5
297	Hornblende pegmatite	Erratic, C.D.	
298	White marble with impure bands	Erratic, C.D.	
299	Forsterite-marble	Erratic, C.D.	
300	Forsterite-marble	Erratic, C.D.	
301	Dolomitic forsterite-marble	Erratic, C.D.	IV. 8
302	Forsterite-marble	Erratic, C.D.	
303	Diopside-tremolite rock	Erratic, C.D.	III. 2
304	Magnetite-garnet-gneiss	Erratic, C.D.	III. 5
305	Epidote-marble	Erratic, C.D.	III. 2
305A	Epidote-marble	Erratic, C.D.	IV. 8
306	Tremolite-marble	Erratic, C.D.	III. 2
306A	Tremolite-marble	Erratic, C.D.	III. 2
307	Forsterite-marble	Erratic, C.D.	III. 2
308	Epidote-marble	Erratic, C.D.	III. 2
309	Grey quartzite	Erratic, C.D.	IV. 11
310	Pyroxene-epidote-marble	Erratic, C.D.	III. 2
311	Coarse arkose grit (related to 537)	Erratic, C.D.	IV. 11
312	A reddish-brown arkose	Erratic, C.D.	IV. 11
313	Fine-grained dense quartzite	Erratic, C.D.	IV. 11
314	Quartzite (greenish with red mottlings)	Erratic, C.D.	
315	Coarse, arenaceous conglomerate (very similar to 327)	Erratic, C.D.	IV. 11
316	Forsterite-marble (serpentinised)	Erratic, C.D.	IV. 12
317	Saussuritic gabbro-gneiss	Erratic, C.D.	IV. 8
317A	Light coloured, even-grained freestone	Erratic, C.D.	III. 4
318	Forsterite-marble	Erratic, C.D.	IV. 11
318A	Red sandstone	Erratic, C.D.	III. 2
319	Sandstone exhibiting bedding planes; also indefinite chocolate coloured markings.	Erratic, C.D.	IV. 11
320	Coarse felspar-muscovite-quartz-pegmatite	Erratic, C.D.	
321	Siliceous veins traversing calc-schist	Erratic, C.D.	
322	Gneissic granite	Erratic, C.D.	IV. 7
323	Apatite in gneissic pegmatite (very similar to 333)	Erratic, C.D.	IV. 12
324	A pinitised gneiss	Erratic, C.D.	
325	Quartz-felspar-muscovite-tourmaline-pegmatite traversing mica schist	Erratic, C.D.	
326	Coarse angular fault breccia of red sandstone fragments. Cavities drusy with small quartz crystals.	Erratic, C.D.	
327	Siliceous conglomerate (arkosic)	Erratic, C.D.	IV. 11
328	Coarse acid pegmatite chiefly composed of felspar and tourmaline with a little garnet and muscovite.	Erratic, C.D.	
329	Gneissic pegmatite with tourmaline	Erratic, C.D.	
330	Vein breccia cemented by reef quartz	Erratic, C.D.	IV. 12
331	Felspar-quartz-cordierite-gneiss	Erratic, C.D.	
332	Highly epidotised crush rock	Erratic, C.D.	
333	Pegmatite muscovite-quartz-garnet-gneiss	Erratic, C.D.	
334	Pinitic pseudomorph after felspar in gneiss	Erratic, C.D.	IV. 12
335	Chloritised, pegmatitic, garnetiferous, feldspathic gneiss	Erratic, C.D.	
336	Granite gneiss intersected by a vein of pyroxene	Erratic, C.D.	IV. 7
337	Reddish sandstone with suggestive markings	Erratic, C.D.	IV. 11
338	Stibnite in siliceous vein	Erratic, C.D.	IV. 12
339	Garnet-plagioclase-pyroxene-gneiss (gabbro type)	Erratic, C.D.	III. 4
339A	Pegmatitic hornblende-biotite-felspar-gneiss	Erratic, C.D.	
340	Quartz-felspar-pegmatite	Erratic, C.D.	
341	Granitic gneiss	Erratic, C.D.	IV. 7
342	Tourmaline-bearing muscovite-sillimanite-gneiss	Erratic, C.D.	
343	Diopside-tremolite rock (cf. 877)	Erratic, C.D.	
344	Epidotic, calc-silicate-marble	Erratic, C.D.	
345	Hornblende gneiss	Erratic, C.D.	
346	Pyroxene-epidote-marble	Erratic, C.D.	
346A	Hornblende gneiss	Erratic, C.D.	
347	Epidote-pyroxene-marble	Erratic, C.D.	
348	Garnet-magnetite-schist	Erratic, C.D.	III. 5
349	Garnet-microcline-gneiss	Erratic, C.D.	IV. 7
350	Garnet-magnetite-gneiss (related to 181)	Erratic, C.D.	
351	Pyroxene-amphibolite	Erratic, C.D.	III. 4
351A	Hornblende gneiss	Erratic, C.D.	
352	Gneissic granite	Erratic, C.D.	IV. 7
353	Epidote-marble	Erratic, C.D.	
354	Epidote-marble	Erratic, C.D.	
355	Tremolite-marble	Erratic, C.D.	III. 2

Specimen Number.	Descriptive title, etc.	Locality.	Where cited.
355A	Forsterite-marble	Erratic, C.D.	
356	Amphibolite	Erratic, C.D.	
357	Forsterite-marble	Erratic, C.D.	
358	Siliceous gneiss traversed by lenses of hornblende rock	Erratic, C.D.	
359	Quartz-muscovite-gneiss (similar to 256)	Erratic, C.D. ...	IV. 12
360	Jaspilite	Erratic, C.D. ...	IV. 7
361	Chloritic and epidotic phyllite (with glacial striae)	Erratic, C.D.	
362	Anthophyllite-schist	Erratic, C.D.	
363	Epidote-marble	Erratic, C.D.	
364	Siliceous vein intruding calc-silicate rock	Erratic, C.D.	
365	Magnetite-rich garnetiferous gneissic granite	Erratic, C.D.	
366	Pink felspar-gneiss (related to 378)	Erratic, C.D.	
367	Gabbroic, augen-gneiss with augen of calcic andesine	Erratic, C.D. ...	III. 4
367A	Very coarse hybrid hornblende-plagioclase augen-gneiss	Erratic, C.D. ...	IV. 9
368	Amphibolite (brecciated and with veins of epidote)	Erratic, C.D. ...	IV. 6
369	Granodiorite-gneiss	Erratic, C.D. ...	IV. 7
370	Very fine-grained silicated marble	Erratic, C.D.	
371	Gabbroic pegmatite (amphibole and saussuritized felspar) (near to 508)	Erratic, C.D.	
372	Junction of an amphibolite and granodiorite-gneiss	Erratic, C.D. ...	III. 1
373	Granular, schistose granite-gneiss (somewhat related to 523)	Erratic, C.D.	
374	Banded hornblende-felspar-quartz-gneiss	Erratic, C.D.	
375	Granitic red felspar-gneiss	Erratic, C.D.	
376	Quartzite boulder worn by water and wind	Erratic, C.D.	
377	Epidotised gneiss	Erratic, C.D.	
378	Hornblende-felspar-gneiss (with microcline as well as plagioclase)	Erratic, C.D. ...	III. 4
379	Crush (vein) breccia rich in epidote	Erratic, C.D. ...	IV. 6
380	Pyroxene-amphibolite	Erratic, C.D. ...	III. 4
381	Granophyric felsitic vein traversing a somewhat altered granite	Erratic, C.D. ...	IV. 4
382	Copper pyrites in quartz stringer of granodiorite-gneiss, <i>in situ</i>	Cape Denison.	
383	Contorted granodiorite-gneiss, <i>in situ</i>	Cape Denison.	
384	Epidote-marble	Erratic, C.D. ...	III. 2
384A	Hypersthene-bearing quartzo-felspathic, pegmatitic injection gneiss	Erratic, C.D. ...	IV. 9
385	Brown sandstone with interformational conglomerate band	Erratic, C.D. ...	IV. 11
386	Epidote-marble	Erratic, C.D. ...	III. 2
387	Laminated hornblende-biotite-quartz-felspar-injection gneiss	Erratic, C.D. ...	IV. 9
388	Forsterite-marble	Erratic, C.D.	
389	Forsterite-marble	Erratic, C.D.	
390	Granitic gneiss	Erratic, C.D. ...	IV. 7
391	Quartz-muscovite-magnetite-schist	Erratic, C.D. ...	IV. 7
392	Forsterite-marble	Erratic, C.D. ...	III. 2
392A	Characteristically weathered calc-silicate rock	Erratic, C.D.	
393	Glacially striated pebble of calc-silicate rock	Erratic, C.D.	
394	Pyroxene-epidote-marble	Erratic, C.D. ...	III. 2
395	Forsterite-marble	Erratic, C.D. ...	III. 2
396	Basalt (?) chloritised	Erratic, C.D.	
397	Epidote-marble	Erratic, C.D.	
398	Calc-silicate rock	Erratic, C.D.	
399	Augen-gneiss	Erratic, C.D.	
400	Sedimentary arkose breccia (related to 327)	Erratic, C.D. ...	IV. 11
401	Phyllitic mica-schist	Erratic, C.D.	
402	Forsterite-marble	Erratic, C.D. ...	III. 2
402A	Forsterite-marble	Erratic, C.D. ...	IV. 8
403	Contorted calc-silicate-marble	Erratic, C.D.	
404	Sillimanite-garnet-quartz-biotite-gneiss (same as 813)	Erratic, C.D. ...	IV. 7
405	Tremolite-marble	Erratic, C.D.	
406	Tremolite-marble	Erratic, C.D. ...	III. 2
406A	Sillimanite-garnet-biotite-gneiss	Erratic, C.D.	
407	Epidotised augen-gneiss	Erratic, C.D.	
408	Gneiss	Erratic, C.D.	
409	Coarse pyroxene-felspar schlier in gneiss	Erratic, C.D.	
410	Biotite-amphibolite associated with veins of coarse epidote (same locality as 412).	Cape Denison ...	{ IV. 6 IV. 12
410A	Epidote in quartz vein in amphibolite at junction with gneiss (locality of 410)	Cape Denison.	
411	Development of felspar in biotite-amphibolite (<i>in situ</i> S. of Anemometer)	Cape Denison ...	III. 1
412	Biotite-amphibolite-schist	Cape Denison ...	III. 1
413	Granitic gneiss (like 163)	Erratic, C.D. ...	IV. 7
414	Magnetite in a leucocratic pegmatitic vein intersecting the gneiss (<i>in situ</i> N. of Anemometer).	Cape Denison ...	IV. 12
415	Epidosite (E. of Lake III)	Cape Denison ...	III. 1
416	Siliceous vein with epidote crossing epidote-marble	Erratic, C.D.	
417	Leucocratic (aplitic) vein in gneisses. Located between Lakes II and III	Cape Denison.	
418	Epidote-garnet-quartz band in calc-silicate formation	Erratic, C.D.	
419	Biotite from vein (W. of Lake III) (same as 66)	Cape Denison ...	IV. 12

Specimen Number.	Descriptive title, etc.	Locality.	Where cited.
420	Microcline (flesh coloured) graphically intergrown with quartz (from pegmatitic mass in gneiss S.E. of Magnetic Hut).	Cape Denison ...	IV. 12
421	Coarse amphibolite with sphene (at Magnetograph House) (related to 9) ...	Cape Denison ...	IV. 12
422	Apatite in pegmatitic vein quartz (trending E. and W.) intersecting gneisses at Beryl Peak.	Cape Denison ...	IV. 12
423	Dolerite ...	Erratic, C.D. ...	IV. 5
424	Biotite-felspar-gneiss (at junction with granodiorite-gneiss) ...	Cape Denison ...	III. 1
425	Threads of gneiss penetrating amphibolite (Beryl Peak) ...	Cape Denison ...	IV. 6
426	Composite gneiss (Stillwell, Plate XI, fig. 1) ...	Cape Denison ...	III. 1
427	Granodioritic gneiss with large felspar xenocryst (from east of Beryl Peak)	Cape Denison.	
428	Granodiorite-gneiss from near Lake III ...	Cape Denison.	
429	Biotite-rich bands running through the gneiss. <i>in situ</i> ...	Cape Denison.	
430	Contorted gneiss ...	Cape Denison.	
431	Biotite-bearing coarse felspar-quartz-pegmatitic vein with large apatites. N.W. of Western azimuth mark.	Cape Denison.	
432	Amphibolite with porphyritic saussuritised felspars, <i>in situ</i> ...	Cape Denison ...	III. 6
433	Saussurite (with lawsonite and zoisite) ...	Erratic, C.D. ...	IV. 12
433A	Quartz-hornblende-biotite-diorite ...	Erratic, C.D. ...	IV. 5
434	Arkose sandstone ...	Erratic, C.D. ...	IV. 11
435	Pink sandstone ...	Erratic, C.D. ...	
436	Epidote-marble ...	Erratic, C.D. ...	
437	Calc-silicate rock ...	Erratic, C.D. ...	
438	Quartz stringer in calc-silicate-marble ...	Erratic, C.D. ...	IV. 12
439	Calc-silicate rock ...	Erratic, C.D. ...	
440	Dense phyllite (like some of Cape Hunter phyllites) ...	Erratic, C.D. ...	
441	Red felspar vein invading phyllite (same as 944) ...	Erratic, C.D. ...	
441A	Sillimanite-bearing garnet-biotite-gneiss ...	Erratic, C.D. ...	IV. 7
442	Phyllite ...	Erratic, C.D. ...	
443	Phyllite ...	Erratic, C.D. ...	
444	Apatite in gneissic pegmatite ...	Erratic, C.D. ...	IV. 12
445	Pink granophyric micro-granite ...	Erratic, C.D. ...	IV. 4
446	Porphyrite (like 224A and 1248) ...	Erratic, C.D. ...	
447	Pink felspar-granite wanting in ferro-magnesian constituents (somewhat altered and apparently related to 842).	Erratic, C.D. ...	
448	Granite-aplite ...	Erratic, C.D. ...	
449	Granulitic quartz basalt (same as 457) ...	Erratic, C.D. ...	III. 3
450	Fine-grained, chocolate sandstone ...	Erratic, C.D. ...	IV. 11
451	Biotite-gneiss ...	Erratic, C.D. ...	
452	Gray quartzite (glaciated) ...	Erratic, C.D. ...	IV. 11
453	Phyllite ...	Erratic, C.D. ...	
454	Dolerite ...	Erratic, C.D. ...	
455	Felspar-chlorite-biotite-schist ...	Erratic, C.D. ...	IV. 5
456	Medium-grained dolerite ...	Erratic, C.D. ...	III. 3
457	Granulitic quartz-basalt (same as 449) ...	Erratic, C.D. ...	III. 3
458	Magnetite-quartz-chlorite-schist ...	Erratic, C.D. ...	IV. 7
459	Close-grained dolerite ...	Erratic, C.D. ...	III. 3
460	Reddish-brown felsite (like 204) ...	Erratic, C.D. ...	
461	Liver-coloured felsite ...	Erratic, C.D. ...	IV. 4
462	Anthophyllite-hornblende-phlogopite-peridotite ...	Erratic, C.D. ...	IV. 5
463	Felspathic quartzite (laminated) ...	Erratic, C.D. ...	IV. 7
464	Biotite-granite (related to 833A) ...	Erratic, C.D. ...	
465	Magnetite-schist ...	Erratic, C.D. ...	
466	Biotite-granite with red felspars (very like 223) ...	Erratic, C.D. ...	
467	Basalt (?) altered ...	Erratic, C.D. ...	
468	Chlorite-felspar-hornblende-schist ...	Erratic, C.D. ...	IV. 5
469	Adamellite ...	Erratic, C.D. ...	IV. 3
470	Granite-porphry (with idiomorphic pink orthoclase) (magmatically related to 833).	Erratic, C.D. ...	
471	Aplite (almost identical with 472) ...	Erratic, C.D. ...	
472	Aplite ...	Erratic, C.D. ...	IV. 3
473	Quartz-felspar-gneiss (with felspar partly pinitised) ...	Erratic, C.D. ...	
474	Pink biotite-granite (related to 474A and 833) ...	Erratic, C.D. ...	
474A	Uneven-grained, pink, biotite-granite (related to 833) ...	Erratic, C.D. ...	
475	Coarse-grained injection gneiss (near to 384A) ...	Erratic, C.D. ...	
476	Sandstone with curious brownish-red markings ...	Erratic, C.D. ...	
477	A glaciated slab of phyllite ...	Erratic, C.D. ...	
478	Quartz vein traversing siliceous phyllite ...	Erratic, C.D. ...	
479	Garnet-epidote-pyroxene-marble ...	Erratic, C.D. ...	
480	Apatite in pegmatitic-gneiss ...	Erratic, C.D. ...	IV. 12
481	Dolomite ...	Erratic, C.D. ...	
482	Epidote-pyroxene-marble ...	Erratic, C.D. ...	
483	Tourmaline-bearing-pegmatite ...	Erratic, C.D. ...	
484	Epidotic quartz vein in hornblende-gneiss ...	Erratic, C.D. ...	

Specimen Number.	Descriptive title, etc.	Locality.	Where cited.
485	Pegmatitic gneiss	Erratic, C.D.	
486	Epidote-marble	Erratic, C.D.	IV. 8
487	A sheared sillimanite-garnet-quartz-felspar-pegmatite	Erratic, C.D.	IV. 10
488	Magnetite in felspar-quartz-gneiss	Erratic, C.D.	
489	Tourmaline-pegmatite invading mica-schist	Erratic, C.D.	
489A	Copper-bearing tourmaline-pegmatite	Erratic, C.D.	IV. 12
490	A garnet-quartz-felspar-pegmatite band in gneiss	Erratic, C.D.	
491	Magnetite in felspathic gneiss	Erratic, C.D.	
492	Sideritic encrustation on biotite gneiss	Erratic, C.D.	
493	Acid gneiss (minerals somewhat altered)	Erratic, C.D.	
494	Mylonite gneiss (like one with distorted apatite)	Erratic, C.D.	IV. 7
495	Sillimanite-garnet-quartz-biotite-schist (closely similar to 811)	Erratic, C.D.	
496	Graphic intergrowth of quartz and pinitised cordierite	Erratic, C.D.	IV. 10
497	Cordierite-andesine-gneiss	Erratic, C.D.	IV. 10
498	Diopside-tremolite rock (cf. 877)	Erratic, C.D.	
499	Tourmaline-hornblende-felspar-quartz-pegmatite	Erratic, C.D.	
500	Actinolite in gneiss	Erratic, C.D.	
501	Apatite in siliceous biotite-gneiss	Erratic, C.D.	IV. 12
502	Limonite-stained pyritic quartzite	Erratic, C.D.	
503	Acid pegmatite with pinitised cordierite	Erratic, C.D.	IV. 10
504	Actinolite	Erratic, C.D.	
505	Epidotised vein in amphibolite	Erratic, C.D.	
506	Coarse hornblende-felspar-pegmatite traversing mica-schist; chlorite along contact.	Erratic, C.D.	
507	Chalcopyrite-bearing biotite-pegmatite traversing hornblende gneiss	Erratic, C.D.	IV. 12
508	Very coarse hornblende-plagioclase pegmatite (hornblende partly chloritised)	Erratic, C.D.	
509	Cordierite-gneiss (cf. 763 and 510)	Erratic, C.D.	IV. 10
510	Cordierite-gneiss (cf. 763 and 509)	Erratic, C.D.	
511	Quartz vein penetrating hornblende gneiss	Erratic, C.D.	
512	Bornite in coarse garnetiferous pegmatitic gneiss	Erratic, C.D.	IV. 12
513	Anthophyllite schist, with abundant green hornblende and areas of talc	Erratic, C.D.	III. 4
514	Chloritic amphibolite-schist, with quartz-epidote filling in a fracture vein...	Erratic, C.D.	
515	Saussurite-gabbro-gneiss (with veins of lawsonite)	Erratic, C.D.	III. 4
516	Anthophyllite-schist (with green hornblende and talc)	Erratic, C.D.	III. 4
517	Saussurite-gabbro-gneiss	Erratic, C.D.	IV. 5
518	Contorted mica-schist	Erratic, C.D.	
519	Banded hornblende-gneiss	Erratic, C.D.	
520	Chlorite-amphibolite	Erratic, C.D.	III. 4
521	Sillimanite-quartz-mica-gneiss	Erratic, C.D.	IV. 7
522	Epidote-albite-gneiss (with broader banding than (257) and containing a little quartz).	Erratic, C.D.	III. 4
523	Granite-gneiss	Erratic, C.D.	IV. 7
524A	Streaked hornblende-quartz-felspar-gneiss	Erratic, C.D.	
524B	Hornblende clots in hornblende gneiss	Erratic, C.D.	
525	Granite-gneiss (very similar to 366)	Erratic, C.D.	IV. 7
526	Garnet-sillimanite-gneiss	Erratic, C.D.	IV. 10
526A	Garnet-biotite-gneiss	Erratic, C.D.	IV. 7
527	Plagioclase-quartz vein traversing pyroxene rock	Erratic, C.D.	III. 4
527A	Chlorite-magnetite-schist	Erratic, C.D.	III. 5
528	Quartz-magnetite-pyroxene injection-gneiss	Erratic, C.D.	
529	Highly siliceous, micaceous gneiss	Erratic, C.D.	
530	Coarse hornblende-felspar-gneiss partly saussuritised and chloritised	Erratic, C.D.	
531	Micaceous schist with contorted felspar vein	Erratic, C.D.	
532	Garnetiferous gneiss	Erratic, C.D.	
533	Calc-silicate rock	Erratic, C.D.	
533A	Amphibolite junctioning with quartz vein	Erratic, C.D.	
534	Epidote-marble	Erratic, C.D.	III. 2
534A	Cordierite-biotite-quartz-felspar-gneiss	Erratic, C.D.	IV. 10
535	Contorted felspathic marble	Erratic, C.D.	IV. 8
535A	Pyroxene-epidote-marble	Erratic, C.D.	
536	Calc-silicate-marble	Erratic, C.D.	
537	Coarse reddish-brown, arkose grit (related to Banzare 391)*	Erratic, C.D.	IV. 11
538	Felspathic quartzite	Erratic, C.D.	IV. 7
538A	Light grey quartzite (similar to 960)	Erratic, C.D.	
539	Cordierite-felspar-gneiss	Erratic, C.D.	IV. 10
540	Garnet-mica schist	Erratic, C.D.	
541	Chloritic and epidotic crushed granitic gneiss	Erratic, C.D.	
542	Biotite-rich pegmatitic, quartz schlier in amphibolite	Erratic, C.D.	
543	Felspar-biotite-gneiss (metamorphosed granodiorite)	Erratic, C.D.	IV. 7
544	Hornblende schist	Erratic, C.D.	
545	Hornblende segregation in hornblende gneiss (the hornblende gneiss is very similar to 724).	Erratic, C.D.	
546	Epidote-felspar-schist with schistose laminations of quartz (related to 257)...	Erratic, C.D.	IV. 6

* Refers to rock collections of the British, Australian, New Zealand Antarctic Research Expedition.

Specimen Number.	Descriptive title, etc.	Locality.	Where cited.
547	Pyroxene-amphibolite (with felspar replaced by quartz)	Erratic, C.D.	III. 4
548	Hornblende-fels	Erratic, C.D.	III. 4
548A	Amphibolite	Erratic, C.D.	IV. 5
549	Apatite with microcline in reef quartz intersecting the gneisses	Cape Denison	IV. 12
550	Muscovite-gneiss traversed by quartz veins (related to 971)	Erratic, C.D.	IV. 7
551	Epidote-pyroxene-marble	Erratic, C.D.	IV. 8
552	Garnet-chlorite-sericite-schist	Erratic, C.D.	IV. 7
553	Amphibole-schist, from Lower Moraine	Erratic, C.D.	IV. 5
554	Felspar exhibiting pinitic change in felspar-quartz-gneiss, from Lower Moraine.	Erratic, C.D.	IV. 12
555	Water-worn pebble of gneiss from Lower Moraine	Erratic, C.D.	
556	Chloritic, crushed, feldspathic gneiss (cf. 541)	Erratic, C.D.	
557	Cordierite-magnetite-felspar-gneiss	Erratic, C.D.	IV. 10
558	Coarse, pegmatitic muscovite-gneiss	Erratic, C.D.	
559	Coarse amphibolite rock (pyritic)	Erratic, C.D.	
560	Quartz-felspar-garnet-biotite-gneiss	Erratic, C.D.	IV. 7
561	Gneissic granite-porphry	Erratic, C.D.	
562	Coarse-grained biotite-granite (related to 835)	Erratic, C.D.	
563	Coarse, gneissic biotite-granite	Erratic, C.D.	
564	Hornblende granite (granite related to the red granites)	Erratic, C.D.	
565	Tourmalinised granite-gneiss	Erratic, C.D.	IV. 7
566	Pink-coloured granite-porphry	Erratic, C.D.	IV. 9
567	Brown felsite with phenocrysts (near 75A)	Erratic, C.D.	
568	Garnetiferous, gneissic granite	Erratic, C.D.	
569	Schistose, recrystallised, biotitic-quartz-porphry	Erratic, C.D.	IV. 4
570	Quartzite with curious chocolate markings (cf. 313)	Erratic, C.D.	IV. 11
571	Epidotic amphibolite-schist	Erratic, C.D.	
572	Pyritic garnet-biotite-quartz-felspar-gneiss	Erratic, C.D.	
573	Epidote developed in crushed gneiss	Erratic, C.D.	
574	Albite-epidote-chlorite-hornblende-schist (amphibolitic)	Erratic, C.D.	IV. 5
575	Metamorphosed garnet-sandstone (identical with 1255)	Erratic, C.D.	IV. 7
576	Micaceous magnetite-gneiss	Erratic, C.D.	III. 5
577	Basalt	Erratic, C.D.	
578	Epidote-andesine-hornblende-schist or amphibolite	Erratic, C.D.	IV. 5
579	Dolerite	Erratic, C.D.	IV. 5
580	Dolerite-porphry	Erratic, C.D.	
581	Highly siliceous, quartz-mica-schist	Erratic, C.D.	
582	Quartzite with indefinite dark markings	Erratic, C.D.	IV. 11
583	Pyrites in siliceous rock	Erratic, C.D.	
584	Hornblende-plagioclase-pyroxene-gneiss (same as 942)	Stillwell Island	III. 1
585	Tourmaline-bearing-gneiss	Erratic, C.D.	IV. 12
586	Lit-par-lit, garnetiferous, felspar-gneiss	Erratic, C.D.	IV. 7
587	Tourmaline-rich acid pegmatite (related to 192)	Erratic, C.D.	
588	Sericite-schist	Erratic, C.D.	
589	Epidote-felspar-gneiss	Erratic, C.D.	III. 4
590	Epidote-felspar-gneiss (with pink augen of felspar)	Erratic, C.D.	III. 4
591	Epidote-felspar-gneiss (with helical structure)	Erratic, C.D.	III. 4
592	Epidote-felspar-gneiss	Erratic, C.D.	III. 4
593	Gabbro gneiss	Erratic, C.D.	III. 4
594	Garnet-hornblende-schist	Erratic, C.D.	III. 4
595	Garnet-plagioclase-pyroxene-gneiss	Erratic, C.D.	III. 4
596	Garnet-magnetite-biotite-quartz-gneiss	Erratic, C.D.	
597	Biotite-amphibolite (with little lawsonite)	Erratic, C.D.	III. 4
598	Epidote-felspar rock with large porphyroblasts of microcline	Erratic, C.D.	III. 4
599	Chloritic epidosite (contains more chlorite and less felspar than 589)	Erratic, C.D.	III. 4
600	Quartz-felspar-pegmatite with black tourmaline	Erratic, C.D.	
601	Magnetite-felspar-gneiss	Erratic, C.D.	
602	Coarse feldspathic gneiss rich in epidote and actinolite	Erratic, C.D.	IV. 6
603	Gneissic amphibolite	Erratic, C.D.	
604	A sodic graphic-granite	Erratic, C.D.	IV. 3
605	Quartz vein associated with magnetite schist	Erratic, C.D.	IV. 12
606	Garnetiferous gneiss	Erratic, C.D.	
607	Pyrite in reef quartz	Erratic, C.D.	IV. 12
608	Contorted quartz vein in hornstone	Erratic, C.D.	
609	Garnet-mica-quartz-sillimanite-schist	Erratic, C.D.	IV. 10
610	Highly acid, quartz-felspar-chlorite-pegmatitic-gneiss	Erratic, C.D.	
611	Garnet-magnetite-schist, injected by quartz-felspar-biotite-gneiss	Erratic, C.D.	
612	Biotite-cordierite-sillimanite-garnet-para-gneiss	Erratic, C.D.	IV. 10
613	Pegmatite closely related to 692 (carrying tourmaline and apatite) but with muscovite.	Erratic, C.D.	
614	Coarse muscovite in highly quartzose pegmatite crossing granodiorite-gneisses, <i>in situ</i>	Cape Denison.	
615	Microcline-quartz-epidote-gneiss	Erratic, C.D.	IV. 6

Specimen Number.	Descriptive title, etc.	Locality.	Where cited.
616	Epidote-pyroxene-marble	Erratic, C.D.	
617	Coarse hornblende-felspar-gneiss saussuritised and partly chloritised and pyritised.	Erratic, C.D.	
618	Diopside-actinolite-felspar injection gneiss	Erratic, C.D.	IV. 8
619	Garnet-pyroxene-epidote-marble	Erratic, C.D.	IV. 8
620	Pyroxene-epidote-marble	Erratic, C.D.	
621	Calc-silicate-marble	Erratic, C.D.	
622	Calc-silicate-marble	Erratic, C.D.	
623	Epidote-marble	Erratic, C.D.	
624	Pyroxene-epidote-marble	Erratic, C.D.	IV. 8
625	Granodiorite-gneiss exhibiting curved foliation planes; <i>in situ</i>	Cape Denison.	
625A	Granodiorite-gneiss with contorted vein; <i>in situ</i>	Cape Denison.	
626	Granodiorite-gneiss in contact with dark schist (W. side of Lake III)	Cape Denison.	
627	Large felspar xenocryst in gneiss (W. side of Lake III)	Cape Denison.	
628	Gneissic xenoliths (saussuritised) in amphibolite; <i>in situ</i>	Cape Denison	III. 1
628A	Gneissic xenoliths (saussuritised) in amphibolite (variation of 628); <i>in situ</i>	Cape Denison.	
628B	Gneissic xenoliths (saussuritised) in amphibolite (variation of 628); <i>in situ</i>	Cape Denison.	
628C	Composite xenolith of saussurite and hornblende in amphibolite; <i>in situ</i>	Cape Denison.	
628D	Angular xenolith of saussurite in amphibolite	Cape Denison.	
628E	Saussurite xenolith in which re-entrant angle of primary felspar twin is retained; <i>in situ</i> .	Cape Denison	III. 1
628F	Saussurite xenolith in amphibolite; Lower Moraine	Erratic, C.D.	
629	Amphibolite	Cape Denison	III. 1
630	Quartz-biotite-amphibolite	Cape Denison	III. 1
630A	Biotite-felspar-gneiss (a schlier in the amphibolite)	Cape Denison	III. 1
631	Amphibolite (E. of No. 630, just W. of Beryl Peak)	Cape Denison	III. 1
632	Chlorite-albite-epidote-amphibolite (cf. 634) Valley of Lake V.	Cape Denison	III. 6 IV. 12
633	Chlorite-albite-epidote-amphibolite-schist (Valley of Lake V.)	Cape Denison	III. 6
634	Amphibolite-schist (Valley of Lake V.)	Cape Denison	III. 1
634A	Lawsonite-amphibolite-schist (Valley of Lake V.)	Cape Denison	III. 1
635	Lawsonite-amphibolite-schist (Valley of Lake V.)	Cape Denison	III. 1
635A	Amphibolite (Valley of Lake V.)	Cape Denison	III. 6
636	Amphibolite seamed with contorted felspathic veins (an elongated oval outcrop; the schist in either side is contorted) immediately E. of Beryl Peak	Cape Denison	IV. 5
637	Amphibolite (similar to 636 but without the veins; same locality)	Cape Denison	III. 1
638	Contorted gneiss (immediately E. of Beryl Peak)	Cape Denison.	
640	Chlorite-schist; a schlier in amphibolite No. 629 on W. side of Lake III	Cape Denison	III. 1
641	Garnet-gneiss	Erratic, C.D.	IV. 7
642	Epidosite	Erratic, C.D.	IV. 6
643	Ice-scratched phyllitic erratic	Erratic, C.D.	
644	Magnetite-rich garnetiferous mica-felspar-quartz-gneiss	Erratic, C.D.	
645	Hypersthene-biotite-felspar-gneiss	Erratic, C.D.	
646	Gneissic amphibolite	Erratic, C.D.	
647	Altered dolerite (same as 945)	Erratic, C.D.	IV. 5
648	Garnetiferous quartz-felspar-biotite-gneiss	Erratic, C.D.	
649	Coarse saussuritised and chloritised gneiss	Erratic, C.D.	
650	Porphyroblastic magnetite-garnet-gneiss	Erratic, C.D.	
651	Diopside-marble	Erratic, C.D.	III. 2
652	Diopside-tremolite-rock	Erratic, C.D.	
653	Forsterite-marble	Erratic, C.D.	III. 2
654	Epidote-marble	Erratic, C.D.	III. 2
655	Grey quartzite (contains little secondary epidote)	Erratic, C.D.	IV. 11
656	Forsterite-marble	Erratic, C.D.	
657	Diopside-tremolite-rock	Erratic, C.D.	III. 2
658	Pyroxene-garnet-marble	Erratic, C.D.	III. 2
659	Tremolite-diopside-marble	Erratic, C.D.	
660	Muscovite-rich felspar-quartz-pegmatite with little tourmaline	Erratic, C.D.	
661	Sericite-schist (<i>in situ</i>)	Cape Hunter.	
662	Granite-gneiss	Erratic, C.D.	IV. 7
663	Coarse, arkose grit (near 537)	Erratic, C.D.	IV. 11
664	Pegmatitic garnetiferous gneiss	Erratic, C.D.	
665	Fine-grained, pink, arkosic sandstone	Erratic, C.D.	IV. 11
666	Amphibolite with saussuritised xenolith, <i>in situ</i>	Cape Denison	III. 6
667	Pyroxene-epidote-marble	Erratic, C.D.	IV. 8
668	Forsterite-marble	Erratic, C.D.	
669	Contorted laminated phyllite	Erratic, C.D.	
670	Calc-silicate-marble	Erratic, C.D.	
671	Forsterite-marble	Erratic, C.D.	
672	Epidote-marble	Erratic, C.D.	
673	Tremolite-marble	Erratic, C.D.	III. 2
673A	Diopside-rock	Erratic, C.D.	
674	Dumortierite-bearing, acid pegmatitic gneiss	Erratic, C.D.	IV. 12

Specimen Number.	Descriptive title, etc.	Locality.	Where cited.
675	Tremolite-marble	Erratic, C.D.	
675A	Tremolite-marble	Erratic, C.D.	
676	Epidote-marble	Erratic, C.D.	III. 2
677	Glaciated marble erratic	Erratic, C.D.	
678	Pegmatite vein crossing fine-grained gneiss	Erratic, C.D.	
679	Greyish-brown porphyry	Erratic, C.D.	IV. 4
680	Sillimanite-felspar-mica-gneiss	Erratic, C.D.	IV. 10
681	Felspathic quartzite (laminated)	Erratic, C.D.	IV. 7
682	Garnet-felspar-quartz-gneiss	Erratic, C.D.	
683	Amphibolite	Erratic, C.D.	
684	Grey phyllite	Erratic, C.D.	
685	Magnetite-garnet-schist... ..	Erratic, C.D.	
686	Magnetite-epidote-biotite-garnet-schist	Erratic, C.D.	IV. 7
687	Coarse gneissic pegmatite: chiefly felspar and muscovite but with some tourmaline and copper stains.	Erratic, C.D.	
688	Epidote-marble	Erratic, C.D.	
689	Coarse pegmatitic gneiss composed mainly of felspar and black tourmaline with some quartz and muscovite. Copper stains from oxidation of bornite.	Erratic, C.D.	
690	Adamellite	Erratic, C.D.	IV. 3
691	Apatite-rich felspar-quartz-biotite-pegmatite (intersecting gneiss very similar to 139).	Erratic, C.D.	IV. 12
692	Apatite-bearing pegmatite quite like 895 but carries some large black tourmalines.	Erratic, C.D.	
693	Wind-weathered silicated marble	Erratic, C.D.	
694	Tetrahedrite in coarse garnetiferous gneissic pegmatite (like 793)	Erratic, C.D.	IV. 12
695	Cordierite-sillimanite-magnetite-gneiss	Erratic, C.D.	IV. 10
696	Apatite-bearing pegmatite	Erratic, C.D.	
697	Pegmatitic felspar (red) quartz band in gneiss	Erratic, C.D.	
698	Apatite-rich felspar-quartz-biotite-pegmatite (practically identical with 895)	Erratic, C.D.	
699	Garnet-gneiss (allied to 917)	Stillwell Island	III. 6
700	Very coarse tourmaline-bearing pegmatite crossing gneiss	Erratic, C.D.	
701	Epidote in fracture plane of quartzose vein	Erratic, C.D.	IV. 12
702	Marine sand rock with organic remains	Erratic, C.D.	III. 1
702A	Plagioclase-biotite-gneiss	Erratic, C.D.	IV. 7
703	Garnet-felspar-muscovite-quartz-pegmatite (very similar to some <i>in situ</i> pegmatites at Cape Denison).	Erratic, C.D.	
704	Forsterite-marble with zones of high silicic content	Erratic, C.D.	IV. 8
705	Tourmaline-bearing pegmatite	Erratic, C.D.	
706	Biotite mica; <i>in situ</i>	Cape Denison.	
707	Tremolite-marble	Erratic, C.D.	III. 2
708	Luxullianite	Erratic, C.D.	IV. 7
709	Sillimanite-garnet-bearing granite-gneiss	Erratic, C.D.	IV. 7
710	Coarse quartz-muscovite-pegmatite	Erratic, C.D.	
711	Microcline-garnet-gneiss	Erratic, C.D.	IV. 7
711A	Garnet-felspar-gneiss	Erratic, C.D.	IV. 7
712	Cordierite-gneiss	Erratic, C.D.	IV. 10
713	Pyroxene-epidote-marble (same as 966)	Erratic, C.D.	IV. 8
714	Coarse ilmenite-sillimanite-sericite-quartz-schist	Erratic, C.D.	IV. 12
715	Epidotised pink granitic-gneiss	Erratic, C.D.	IV. 6
716	Saussuritised felspar-diopside-actinolite injection-gneiss	Erratic, C.D.	IV. 8
717	Hornblende-felspar injection-gneiss	Erratic, C.D.	IV. 9
718	Biotite from quartz vein (near Lake III.)	Cape Denison	IV. 12
719	Very coarse magnetite-quartz-felspar-gneiss	Erratic, C.D.	
720	Lawsonite-mica-amphibolite (<i>in situ</i> between Lakes II and III)	Cape Denison	III. 1
721	Pegmatitic segregation vein in amphibolite (same as 251)	Erratic, C.D.	
722	Epidote in a fracture plane in gneiss	Erratic, C.D.	IV. 12
723	Pink calcite segregation in gneiss	Erratic, C.D.	IV. 12
724	Hornblende-felspar-gneiss	Erratic, C.D.	IV. 7
725	Scapolite-microcline-gneiss	Erratic, C.D.	IV. 7
726	Epidote-felspar-schist with very broad bands of felspar and epidote	Erratic, C.D.	III. 4
727	Mylonitised epidote-hornblende-chlorite rock	Erratic, C.D.	IV. 6
728	Saussuritised-gabbro-gneiss	Erratic, C.D.	III. 4
729	Coarse, hard, red conglomerate	Erratic, C.D.	IV. 11
730	Pyroxene-garnet-epidote-marble	Erratic, C.D.	III. 2
731	Siliceous conglomerate with ferruginous cement	Erratic, C.D.	IV. 11
732A	Coarse-grained quartz-dolerite (from debris at foot of "Organ pipes")	Horn Bluff	III. 3
732B	Fine-grained quartz-dolerite (from 6 feet above contact of sandstone and dolerite).	Horn Bluff	III. 3
733	Coarse-grained granophyric quartz-dolerite (from base of columns)	Horn Bluff	III. 3
734	Calcite of veins in dolerite	Horn Bluff	IV. 12
735	Banded granodiorite gneiss; <i>in situ</i>	Cape Denison.	
736	Milky quartz	Erratic, C.D.	IV. 12
737	Quartz garnet-mica schist	Erratic, C.D.	IV. 7
738	Striated boulder of quartz-keratophyre	Erratic, C.D.	IV. 4

Specimen Number.	Descriptive title, etc.	Locality.	Where cited.
739	Breccia	Erratic, C.D.	
740	Tremolite marble (low grade of metamorphism)	Erratic, C.D.	IV. 8
741	Forsterite-phlogopite-marble	Erratic, C.D.	IV. 8
742	Tremolite-epidote-marble	Erratic, C.D.	IV. 8
743	Fine-grained banded garnet-magnetite-quartz-schist	Erratic, C.D.	
744	Coarse arkose grit (related to 311)	Erratic, C.D.	IV. 11
745	Pebbles taken from gizzard of an Emperor penguin killed on floe ice near the Horn Bluff.	King George Id.	
746	Granodiorite (<i>in situ</i>)	Penguin Point	IV. 3
747	Fresh granodiorite (<i>in situ</i>)	Penguin Point	IV. 3
748	Highly siliceous biotitic inclusion in the Penguin Point Granite	Penguin Point.	
749	Garnetiferous granite	Penguin Point B.	IV. 3.
750	Gritty mica-schist	Erratic, C.D.	IV. 7
751	Fine-grained sandstone	Erratic, C.D.	IV. 11
752	Mottled sandstone... ..	Erratic, C.D.	IV. 11
753	Leucocratic granitic gneiss with little apatite. Contains some opalescent felspar and some altered pink-tinged felspar.	Erratic, C.D.	
754	Hypersthene-alkali-felspar-gneiss	Aurora Peak	III. 1
755	Highly siliceous, garnetiferous-gneiss	Erratic, C.D.	
756	Alkali-felspar-gneiss	Aurora Peak	III. 1
757	Hypersthene-alkali-felspar-gneiss	Aurora Peak	III. 1
758	Hypersthene-alkali-felspar-gneiss	Aurora Peak	III. 1
759	Hornblende-plagioclase-pyroxene-gneiss	Aurora Peak	III. 1
760	Banded gneiss (? cataclastic) <i>in situ</i>	Aurora Peak.	
761	Plagioclase-pyroxene-gneiss	Aurora Peak.	
762	Magnetite-quartz-chlorite-schist	Erratic, C.D.	IV. 7
763	Granitic-gneiss	Erratic, C.D.	
764	Quartz-felspar-pyroxene-gneiss	Erratic, C.D.	IV. 12
765	Magnetite-schist	Erratic, C.D.	III. 5
766	Hornblende-plagioclase-pyroxene-gneiss	Cape Gray	III. 1
766A	Hornblende-plagioclase-pyroxene-gneiss	Cape Gray.	
767	Garnet-plagioclase-pyroxene-gneiss	Cape Pigeon Rocks	III. 1
768	Gravel from the weathering of the face of the Madigan Nunatak	Madigan Nunatak.	
769	Junction of amphibolite and cyanite-biotite-gneiss	Garnet Point	III. 1
770	Biotite-gneiss (with segregation of felspar)	Garnet Point	III. 1
771	Amphibolite	Cape Pigeon Rks.	III. 1
772	Cyanite-biotite-gneiss	Garnet Point	III. 1
773	Plagioclase-pyroxene-gneiss	Cape Gray	III. 1
774	Garnet-amphibolite. Water-worn pebble from 15 ft. above sea level.	Garnet Point.	
775	Plagioclase-pyroxene-gneiss (15th Dec., 1912)	Madigan Nunatak	III. 6
776	Highly siliceous fine-grained quartz-felspar-biotite-gneiss: Erratic	Cape Pigeon Rocks.	
777	Garnet-felspar-gneiss (related to 940)	Garnet Point	III. 1
778	Plagioclase-pyroxene-gneiss	Madigan Nunatak	III. 6
779	Fine, even-grained, charnockitic-gneiss	Madigan Nunatak	III. 6
780	Fine-grained hornblende-plagioclase-pyroxene-gneiss (<i>in situ</i>)	Cape Gray.	
781	Junction of amphibolite and cyanite-biotite-gneiss	Garnet Point	III. 1
782	Augite-amphibolite	Cape Pigeon Rocks	III. 1
783	Plagioclase-pyroxene-gneiss	Madigan Nunatak	III. 6
784	Garnet-cordierite-gneiss	Cape Gray	III. 1
785	Hypersthene-biotite-felspar-gneiss	Cape Pigeon Rocks	III. 1
786	Augite-amphibolite	Cape Pigeon Rocks	III. 1
787	Plagioclase-pyroxene-gneiss (charnockitic)	Madigan Nunatak	III. 6
788	Plagioclase-pyroxene-gneiss	Madigan Nunatak	III. 6
789	Tremolite granulite (same as 287)	Erratic, C.D.	
790	Hypersthene-alkali-felspar-gneiss (charnockite gneiss)	Madigan Nunatak	III. 6
791	Charnockitic gneiss	Madigan Nunatak	III. 6
792	Plagioclase-pyroxene-gneiss (at junction with charnockite)	Madigan Nunatak	III. 6
793	Gneissic garnet-felspar-pegmatite with copper ore (like 694)	Erratic, C.D.	
794	Plagioclase-pyroxene-gneiss	Madigan Nunatak	III. 1
795	Charnockitic gneiss	Madigan Nunatak.	
796	Charnockitic gneiss	Madigan Nunatak.	
797	Hypersthene-alkali-felspar-gneiss	Madigan Nunatak	III. 1
798	Charnockite-gneiss	Madigan Nunatak	III. 6
799	Garnet-amphibolite	Garnet Point	III. 1
800	Gneissic hornblende-granite	Erratic, C.D.	
801	Magnetite-sillimanite-quartz-schist	Erratic, C.D.	
802	Granitic microcline biotite-gneiss	Erratic, C.D.	IV. 7
803	Red felspar-porphry (rather like 204A)	Erratic, C.D.	
804	Apatite in pegmatitic quartz vein, <i>in situ</i>	Cape Denison	IV. 12
805	Magnetite-garnet-gneiss	Erratic, C.D.	
806	Magnetite-garnet-sillimanite-schist	Erratic, C.D.	IV. 10
807	Granodioritic gneiss; <i>in situ</i>	Cape Denison.	
808	A siliceous mylonite	Erratic, C.D.	

Specimen Number.	Descriptive title, etc.	Locality.	Where cited.
809	Alkali-felspar-gneiss with allanite (leucocratic band near Magnetic Hut) ...	Cape Denison ...	III. 1
810	Black felsite-porphry ...	Erratic, C.D. ...	
811	Sillimanite-quartz-biotite-gneiss (with occasional garnets) ...	Erratic, C.D. ...	IV. 7
812	Dense amphibolite schist ...	Erratic, C.D. ...	
813	Sillimanite-quartz-biotite-gneiss ...	Erratic, C.D. ...	IV. 7
814	Magnetite-garnet-gneiss ...	Erratic, C.D. ...	III. 5
815	Epidote-felspar-gneiss ...	Erratic, C.D. ...	IV. 6
816	Epidote-felspar-breccia (related to 910) ...	Erratic, C.D. ...	
817	Amphibolite with porphyritic saussuritised felspars. Related to 142, 144	Erratic, C.D. ...	
818	Tremolite-epidote-marble ...	Erratic, C.D. ...	IV. 8
819	Phyllite ...	Erratic, C.D. ...	
820	Porphyry ...	Erratic, C.D. ...	IV. 4
821	Oxidised pyritic crush band in gneiss ...	Erratic, C.D. ...	IV. 12
822	Granite gneiss ...	Erratic, C.D. ...	IV. 7
823	Ptygmatic folding in gneiss ...	Erratic, C.D. ...	
824	Epidotised granite-porphry ...	Erratic, C.D. ...	
825	Coarse gneissic chlorite-felspar-breccia ...	Erratic, C.D. ...	
826	Biotite-cordierite-quartz-schist ...	Erratic, C.D. ...	
827	Magnetite-garnet-gneiss ...	Erratic, C.D. ...	III. 5
828	Chlorite-amphibolite (with more pronounced cataclasis and mortar structure than 247).	Erratic, C.D. ...	III. 4
829	Garnet-magnetite-cordierite vein in coarse felspar-quartz-gneiss ...	Erratic, C.D. ...	
830	Pyroxene-epidote-garnet rock ...	Erratic, C.D. ...	IV. 8
831	Tetrahedrite in gneissic pegmatite ...	Erratic, C.D. ...	IV. 12
832	Silicated marble ...	Erratic, C.D. ...	
833	Biotite-granite ...	Erratic, C.D. ...	IV. 3
833A	Granite ...	Erratic, C.D. ...	IV. 3
834	Hornblende-gneiss with a coarse, pegmatitic felspar band containing abundant epidote; also epidote veins crossing the gneiss.	Erratic, C.D. ...	
835	Uneven-grained pink biotite-granite (related to 474) ...	Erratic, C.D. ...	
836	Red acid porphyry ...	Erratic, C.D. ...	
837	Fine-grained olivine-dolerite ...	Erratic, C.D. ...	III. 3
837A	Felsite ...	Erratic, C.D. ...	IV. 4
838	Fine-grained olivine-dolerite ...	Erratic, C.D. ...	III. 3
839	Dark grey quartz-porphry ...	Erratic, C.D. ...	IV. 4
840	Very fine-grained granophyre (probably originating as an aplite vein): practically identical with 448.	Erratic, C.D. ...	IV. 4
841	Red felsitic acid porphyry ...	Erratic, C.D. ...	
842	Biotite granite with pink felspars (very like 223) ...	Erratic, C.D. ...	
843	Red felspar-granite (near 101A) ...	Erratic, C.D. ...	
844	Red felspar-granite (near 101A and 843) ...	Erratic, C.D. ...	
845	Uneven-grained light pink biotite-granite (related to 835) ...	Erratic, C.D. ...	
846	Biotite-adamellite (like 469) ...	Erratic, C.D. ...	
847	Grey granite ...	Erratic, C.D. ...	IV. 3
848	Granophyre (practically identical with 840) ...	Erratic, C.D. ...	IV. 4
849	Pyroxene-garnet-marble ...	Erratic, C.D. ...	III. 2
850	Silicated marble ...	Erratic, C.D. ...	
851	Crushed quartz-muscovite rock ...	Erratic, C.D. ...	
852	Hornblende-quartz schlier in gneiss ...	Erratic, C.D. ...	
853	Tourmaline-bearing pegmatite ...	Erratic, C.D. ...	
854	Frost-weathered specimen of garnetiferous gneiss ...	Erratic, C.D. ...	
855	Sphene-bearing granodioritic gneiss (from eastern side of Cape Denison rock outcrop).	Cape Denison.	
856	Tremolite rock ...	Erratic, C.D. ...	IV. 8
857	Hornblende crystals on face of reef quartz ...	Erratic, C.D. ...	
858	Vein quartz and reef breccia ...	Erratic, C.D. ...	
859	Hornblende-granodiorite ...	Erratic, C.D. ...	IV. 3
860	Tremolite-rock (cf. 343) ...	Erratic, C.D. ...	IV. 8
861	Saussurite-gabbro-gneiss (with well preserved form of original felspar) ...	Erratic, C.D. ...	III. 4
862	Chloritised mylonite (?) ...	Erratic, C.D. ...	IV. 11
863	Adamellite gneiss ...	Erratic, C.D. ...	
864	Metamorphosed (?) igneous rock ...	Erratic, C.D. ...	
865	Amphibolite with porphyroblasts of felspar ...	Erratic, C.D. ...	III. 4
866	Siliceous-garnet-gneiss ...	Erratic, C.D. ...	
866A	Garnetiferous gneiss ...	Erratic, C.D. ...	
867	Granitic gneiss ...	Erratic, C.D. ...	
868	Augite-dolerite (somewhat altered) ...	Erratic, C.D. ...	IV. 5
869	Hornstone ...	Erratic, C.D. ...	
870	Phyllite ...	Erratic, C.D. ...	
871	Altered ferriferous basalt ...	Erratic, C.D. ...	IV. 5
872	Pyroxene-felspar-biotite-gneiss ...	Erratic, C.D. ...	
873	Amphibole-felspar-gneiss ...	Erratic, C.D. ...	
874	Pinitised felspar in quartzose pegmatite ...	Erratic, C.D. ...	
875	Oligoclase-basalt ...	Erratic, C.D. ...	IV. 5

Specimen Number.	Descriptive title, etc.	Locality.	Where cited.
876	Porphyritic augite-dolerite	Erratic, C.D.	IV. 5
877	Diopside-tremolite-rock	Erratic, C.D.	IV. 8
878	Bronzite-bearing, quartzo-felspathic, pegmatitic, injection-gneiss	Erratic, C.D.	IV. 9
879	Dolerite	Erratic, C.D.	IV. 5
880	Coarse tourmaline-felspar-quartz-muscovite-pegmatite	Erratic, C.D.	
881	Biotite-garnet-bearing pegmatitic gneiss	Erratic, C.D.	IV. 12
882	Chlorite in chloritized gneiss	Erratic, C.D.	IV. 12
883	Microcline-epidote rock	Erratic, C.D.	IV. 6
884	Gneissic muscovite-pegmatite	Erratic, C.D.	
885	Pegmatite with ilmenite traversing mica schist	Erratic, C.D.	
886	Chlorite in decomposed felspathic gneiss	Erratic, C.D.	IV. 12
887	Amphibolite	Erratic, C.D.	IV. 5
888	Hornblende schist (with large crystals of chlorite)	Erratic, C.D.	III. 4
889	Magnetite-garnet-schist	Erratic, C.D.	III. 5
890	Amphibolite	Erratic, C.D.	
891	Garnet-hornblende-felspar-gneiss	Erratic, C.D.	
892	Biotite-felspar-quartz-schist	Erratic, C.D.	
893	Pyritic (oxidised) quartzite	Erratic, C.D.	
894	Mirabilite (xanthalose) encrustation on rock	Gt. Mackellar Id.	IV. 12
895	Apatite and tourmaline-bearing coarse pegmatitic gneiss (very similar to 139 and 691).	Erratic, C.D.	
896	Lawsonite-muscovite-diopside vein intersecting calcitic gneiss	Erratic, C.D.	IV. 12
897	Copper stains on coarse biotite-granite (part of a 2-ton erratic)	Erratic, C.D.	IV. 12
898	Glacial striae on phyllite erratic	Erratic, C.D.	
899	Tourmalinised, sillimanite-bearing granitic gneiss	Erratic, C.D.	IV. 7
900	Glacially striated phyllite erratic	Erratic, C.D.	
901	Fine-grained grey granite	Erratic, C.D.	IV. 3
902	Medium-grained grey, biotite-granite	Erratic, C.D.	IV. 3
903	Gneissic granite	Erratic, C.D.	IV. 7
904	Coarse pegmatitic garnet-felspar-quartz-gneiss with copper stains (related to 185).	Erratic, C.D.	
905	Glacially striated erratic	Erratic, C.D.	
906	Dolerite	Erratic, C.D.	IV. 5
907	Garnet-cordierite-sillimanite-gneiss	Erratic, C.D.	IV. 10
908	Magnetite-cordierite-felspar-gneiss	Erratic, C.D.	IV. 10
909	Basalt	Erratic, C.D.	IV. 5
910	Epidote-felspar-breccia	Erratic, C.D.	III. 4
911	Phyllite, <i>in situ</i>	Cape Hunter	III. 1
912	Magnetite-schist	Erratic, C.D.	III. 5
913	Silicated marble	Erratic, C.D.	
914	Sillimanite-muscovite-gneiss	Erratic, C.D.	IV. 7
915	Garnet-biotite-amphibolite	Erratic, C.D.	III. 4
916	Epidote-chlorite-schist	Erratic, C.D.	III. 4
917	Garnet-felspar-gneiss	Stillwell Id.	III. 1
917A	Garnetiferous gneiss, <i>in situ</i>	Stillwell Id.	
918	Garnetiferous granite	Erratic, C.D.	IV. 7
919	Porphyrite (like 224)	Erratic, Cape Hunter	IV. 4
920	Red porphyry (somewhat related to 224A)	Erratic, C.D.	
921	Hornblende-schist	Erratic, C.D.	
922	Augite-magnetite-dolerite	Erratic, C.D.	IV. 5
923	Porphyritic augite-dolerite	Erratic, C.D.	IV. 5
924	Hornblende-plagioclase-schist	Erratic, C.D.	IV. 4
924A	Porphyry	Erratic, C.D.	IV. 4
925	Tourmaline in a quartz-tourmaline-pegmatite	Erratic, C.D.	IV. 12
926	Biotite-magnetite-schist	Erratic, C.D.	III. 5
927	Cordierite-gneiss	Erratic, C.D.	IV. 10
928	Sphene-biotite-felspar-gneiss	Cape Denison	III. 1
929	Epidotic red felspathic augen-gneiss (related to 1243 and 591)	Erratic, C.D.	
930	Zoisite-biotite-schist	Erratic, C.D.	IV. 7
931	Epidote-hornblende-schist	Erratic, C.D.	III. 4
932	Garnet-sillimanite-gneiss	Erratic, C.D.	IV. 10
933	Mica-magnetite-schist	Erratic, C.D.	III. 5
934	Andesine-basalt	Erratic, C.D.	IV. 5
935	Garnet-plagioclase-pyroxene-gneiss	Stillwell Id.	III. 1
936	Lawsonite-chlorite-amphibolite-schist	Erratic, C.D.	III. 4
937	Hornblende-plagioclase-pyroxene-gneiss (with relic structure of original dolerite).	Erratic, C.D.	III. 4
938	Dolerite	Erratic, C.D.	IV. 5
939	Garnet-felspar-gneiss	Stillwell Id.	III. 1
940	Garnet-felspar-gneiss (like 917)	Stillwell Id.	
941	Hornblende-fels	Erratic, C.D.	III. 4
942	Hornblende-plagioclase-pyroxene-gneiss	Stillwell Id.	III. 1
943	Garnet-hypersthene-biotite-plagioclase-gneiss	Erratic, C.D.	IV. 7

Specimen Number.	Descriptive title, etc.	Locality.	Where cited.
944	Red felspar in narrow vein in schist (same as 441)	Erratic, C.D.	IV. 12
945	An altered dolerite (similar to 647)	Erratic, C.D.	
946	Amphibolite with sieve structure	Erratic, C.D.	III. 4
947	Hypersthene-alkali-felspar-gneiss	Stillwell Id.	III. 1
948	Hornblende-granite	Erratic, C.D.	
949	Hypersthene-felspar-gneiss, <i>in situ</i>	Stillwell Id.	III. 1
949A	Hypersthene-alkali-felspar-gneiss <i>in situ</i> (apparently same as 949)	Stillwell Id.	
949B	Hypersthene-alkali-felspar-gneiss. A narrow fine-grained irregular vein crossing gneisses at summit (apparently same as 949).	Stillwell Id.	
950	Biotite-hornblende-schist	Erratic, C.D.	III. 4
951	Plagioclase-pyroxene-gneiss (summit of Stillwell Id.)	Stillwell Id.	III. 1
952	Amphibolite	Stillwell Id.	III. 1
953	Garnet amphibolite	Stillwell Id.	III. 1
954	Chlorite-microcline-gneiss	Erratic, C.D.	III. 4
955	Quartz-epidote-mica-schist	Erratic, Cape Hunter	IV. 7
956	Biotite-hornblende-felspar-gneiss (small development of glaucophane from hornblende).	Erratic, C.D.	III. 4
957	Dolerite	Erratic, C.D.	
958	Diopside-actinolite-gneiss	Erratic, C.D.	IV. 12 IV. 8
959	Amphibolite with "sieve" structure	Erratic, C.D.	III. 4
960	Felspathic quartzite	Erratic, C.D.	IV. 7
961	Amphibolite schist (with remarkable mortar structure)	Erratic, C.D.	III. 4
962	Hornblende-plagioclase-pyroxene-gneiss	Erratic, Cape Hunter	III. 4
963	Hornblende-pyroxene rock	Erratic, Cape Hunter	III. 4
964	Diopside-actinolite-felspar-injection-gneiss (like 1162 and 1222)	Erratic, C.D.	IV. 8 III. 4
965	Chlorite-amphibolite	Erratic, C.D.	IV. 5
966	Pyroxene-epidote-marble (same as 713)	Erratic, C.D.	IV. 8
967	Hornblende-plagioclase-pyroxene gneiss	Erratic, Cape Hunter	III. 4
968	Biotite-felspar-(blue) quartz schistose gneiss (possibly a stressed equivalent of 797).	Erratic, C.D.	
969	Gabbro-gneiss with augen of saussurite	Erratic, C.D.	III. 4
970	Hornblende, pegmatitic, hybrid-gneiss.	Erratic, C.D.	IV. 9
971	Ilmenite in a quartz schlier in muscovite gneiss (related to 550)	Erratic, C.D.	IV. 12
972	Hornblende-plagioclase-pyroxene-gneiss (from near boat moorings)	Stillwell Id.	III. 6
973	Amphibolite from dyke crossing garnet-gneiss (dykes up to 10 ft. wide)	Stillwell Id.	III. 6
974	Amphibolitic band (crossing garnet-gneiss)	Stillwell Id.	III. 6
975	Schistose, garnetiferous, basic dyke rock (collected from dark belt in gneiss where it becomes definitely banded).	Stillwell Id.	
976	Garnet-amphibolite (from near boat moorings) (similar to 953)	Stillwell Id.	III. 6
977	Garnet-amphibolite (resembling 975)	Stillwell Id.	III. 6
978	Garnet-amphibolite (from near boat moorings) (like 953)	Stillwell Id.	III. 6
979	Hypersthene-felspar-gneiss	Stillwell Id.	III. 1
979A	Hypersthene-felspar-gneiss (summit of Stillwell Id.) cf. 947, 939	Stillwell Id.	
980	Coarse garnet-plagioclase-cordierite-biotite-gneiss; from summit of Island.	Stillwell Id.	III. 6
981	Albite-amphibolite, <i>in situ</i>	Gt. Mackellar Id.	III. 1
982	Granitic gneiss	Gt. Mackellar Id.	III. 1
983	Granite gneiss	Gt. Mackellar Id.	III. 1
984	Granitic gneiss, <i>in situ</i>	Gt. Mackellar Id.	III. 1
985	Chloritic amphibolite (with saussuritized felspar)	Erratic, C.D.	III. 4
986	Cordierite-quartz-felspar-gneiss	Erratic, C.D.	
987	Sericite-schist (near 588)	Erratic, C.D.	
988	Red felspar vein in joints of gneiss	Cape Denison	IV. 12
989	Epidote-magnetite-schist	Erratic, C.D.	III. 5
990	Garnet-biotite-amphibolite (similar to 915 in which brown biotite is replaced by green chlorite).	Erratic, C.D.	III. 4
991	Amphibolite (related to 193 and 574)	Erratic, C.D.	
992	Forsterite-marble	Erratic, C.D.	III. 2
993	Forsterite-marble	Erratic, C.D.	III. 2
994	Forsterite-marble	Erratic, C.D.	III. 2
995	Epidote-marble	Erratic, C.D.	III. 2
996	Pyroxene-epidote-marble	Erratic, C.D.	III. 2
997	Epidote-marble	Erratic, C.D.	III. 2
998	White felspathic gneiss	Erratic, C.D.	
999	Reef quartz with zinc blende and iron pyrites crossing gneiss	Cape Denison	IV. 12
1000	Phosphatic encrustation (Newberryite and Brushite) on pebbles from Penguin rookery).	Cape Denison	IV. 12
1001	Coarse foliated biotite-gneiss (from an iceberg located N.E. of the "Grottoes")	Western Queen Mary Land.	IV. 2
1002	Coarse, biotitic, augen-gneiss (from iceberg N.E. of "Grottoes")	Western Q.M.L.	IV. 2
1003	Augen-gneiss (from iceberg N.E. of "Grottoes")	Western Q.M.L.	IV. 2

Specimen Number.	Descriptive title, etc.	Locality.	Where cited.
1004	Somewhat porphyritic gneissic grey granite (near to 1002) (from iceberg N.E. of "Grottoes").	Western Q.M.L.	IV. 2
1005	Medium-grained, grey gneiss (from iceberg N.E. of "Grottoes")	Western Q.M.L.	IV. 2
1006	Pink, biotite granite (from iceberg N.E. of "Grottoes")	Western Q.M.L.	IV. 2
1007	Medium grained, pink granite (from iceberg N.E. of "Grottoes")	Western Q.M.L.	IV. 2
1008	Grey gneiss (from iceberg N.E. of "Grottoes")	Western Q.M.L.	IV. 2
1009	Grey gneiss (from iceberg N.E. of "Grottoes")	Western Q.M.L.	IV. 2
1010	Grey gneiss (from iceberg N.E. of "Grottoes")	Western Q.M.L.	IV. 2
1011	Grey gneiss (from iceberg N.E. of "Grottoes")	Western Q.M.L.	IV. 2
1012	Granitic crush gneiss (from iceberg N.E. of "Grottoes")	Western Q.M.L.	IV. 2
1013	Medium grained pink granite (from iceberg N.E. of "Grottoes")	Western Q.M.L.	IV. 2
1014	Grey gneiss (from iceberg N.E. of "Grottoes")	Western Q.M.L.	IV. 2
1015	Augen-gneiss (from iceberg N.E. of "Grottoes")	Western Q.M.L.	IV. 2
1016	Fine-grained hornblende-schist (from iceberg N.E. of "Grottoes")	Western Q.M.L.	IV. 2
1017	Medium-grained pink granite (from iceberg N.E. of "Grottoes")	Western Q.M.L.	IV. 2
1018	Augen-gneiss (from iceberg N.E. of "Grottoes")	Western Q.M.L.	IV. 2
1019	Medium-grained grey gneiss (from iceberg N.E. of "Grottoes")	Western Q.M.L.	IV. 2
1020	Medium-grained grey gneiss (from iceberg N.E. of "Grottoes")	Western Q.M.L.	IV. 2
1021	Grey gneiss (from iceberg N.E. of "Grottoes")	Western Q.M.L.	IV. 2
1022	Medium-grained pink granite (from iceberg N.E. of "Grottoes")	Western Q.M.L.	IV. 2
1023	Grey gneiss (from iceberg N.E. of "Grottoes")	Western Q.M.L.	IV. 2
1030	Acid, igneous, biotite-garnet-gneiss (Erratic, Junction Corner)	Western Q.M.L.	IV. 2
1031	Acid, igneous, grey coloured, biotite-gneiss (Erratic, Junction Corner)	Western Q.M.L.	IV. 2
1032	Coarse hornblende augen-gneiss (Erratic, Junction Corner)	Western Q.M.L.	IV. 2
1033	Acid, biotitic augen-gneiss (Erratic, Junction Corner)	Western Q.M.L.	IV. 2
1034	Dark, medium-grained, acid hornblende gneiss (Erratic, Junction Corner)	Western Q.M.L.	IV. 2
1035	Foliated, acid, hornblende gneiss (Erratic, Junction Corner)	Western Q.M.L.	IV. 2
1040	Massive, dull red, granitic gneiss (Erratic, Gaussberg)	Western Q.M.L.	IV. 2
1041	Banded, hornblende-plagioclase injection-schist (Erratic, Gaussberg)	Kaiser Wilhelm Ld.	IV. 2
1042	Even-grained, pink, biotite granite (Erratic, Gaussberg)	Kaiser Wilhelm Ld.	IV. 2
1043	Vein quartz (Erratic, Gaussberg)	Kaiser Wilhelm Ld.	IV. 2
1044	Medium-grained, white, hornblende granite (Erratic, Gaussberg)	Kaiser Wilhelm Ld.	IV. 2
1045	Coarse banded, biotitic, para-gneiss (Erratic, Gaussberg)	Kaiser Wilhelm Ld.	IV. 2
1046	Medium-grained, roughly foliated, acid gneiss (Gaussberg)	Kaiser Wilhelm Ld.	IV. 2
1047	Biotite-granite (Erratic, Gaussberg)	Kaiser Wilhelm Ld.	IV. 2
1048	Biotite-granite (Erratic, Gaussberg)	Kaiser Wilhelm Ld.	IV. 2
1049	Biotite-granite (Erratic, Gaussberg)	Kaiser Wilhelm Ld.	IV. 2
1050A	Leucite-basalt (<i>in situ</i> at Gaussberg)	Kaiser Wilhelm Ld.	IV. 2
1050B	Garnet-pyroxene-plagioclase-marble (Erratic, Gaussberg)	Kaiser Wilhelm Ld.	IV. 2
1051	Hornblende-biotite-felspar-quartz-schist (Erratic, Gaussberg)	Kaiser Wilhelm Ld.	IV. 2
1052	Biotite-cumingtonite-iron ore-garnet-schist (Erratic, Gaussberg)	Kaiser Wilhelm Ld.	IV. 2
1053	White, biotite-sphene-gneiss (Erratic, Gaussberg)	Kaiser Wilhelm Ld.	IV. 2
1054	Biotite-granite (Erratic, Gaussberg)	Kaiser Wilhelm Ld.	IV. 2
1055	Grey, acid, igneous, biotite-gneiss (Erratic, Gaussberg)	Kaiser Wilhelm Ld.	IV. 2
1056	Tonalite (Erratic, Gaussberg)	Kaiser Wilhelm Ld.	IV. 2
1057	Medium-grained hornblende-granite (Erratic, Gaussberg)	Kaiser Wilhelm Ld.	IV. 2
1058	Biotite-granite (Erratic, Gaussberg)	Kaiser Wilhelm Ld.	IV. 2
1060	Leucite-basalt (<i>in situ</i> , Gaussberg)	Kaiser Wilhelm Ld.	IV. 2
1060A	Leucite-basalt with glass base (<i>in situ</i> , Gaussberg)	Kaiser Wilhelm Ld.	IV. 2
1060B	Leucite-basalt (<i>in situ</i> , Gaussberg)	Kaiser Wilhelm Ld.	IV. 2
1061	Decomposed, basaltic tuff (<i>in situ</i> , Gaussberg)	Kaiser Wilhelm Ld.	IV. 2
1070	Fine-grained, granular, garnetiferous gneiss (Erratic, Haswell Id.)	Western Q.M.L.	IV. 2
1071	Fine-grained, sedimentary, banded biotite-gneiss (Erratic, Haswell Id.)	Western Q.M.L.	IV. 2
1072	Coarse red biotite-granite (Erratic, Haswell Id.)	Western Q.M.L.	IV. 2
1073	Medium-grained, grey hornblende-granite (Erratic, Haswell Id.)	Western Q.M.L.	IV. 2
1074	Hornblende-schist (Erratic, Haswell Id.)	Western Q.M.L.	IV. 2
1075	Fine-grained, basic charnockite (Erratic, Haswell Id.)	Western Q.M.L.	IV. 2
1076	Fine-grained, hornblende-schist (Erratic, Haswell Id.)	Western Q.M.L.	IV. 2
1077	Biotite-hornblende-plagioclase-gneiss (diortitic) (Erratic, Haswell Id.)	Western Q.M.L.	IV. 2
1078	Coarse-grained, sedimentary biotite-garnet-gneiss (Erratic, Haswell Id.)	Western Q.M.L.	IV. 2
1079A	Charnockite (Erratic, Haswell Id.)	Western Q.M.L.	IV. 2
1079B	Biotite-hornblende-tonalite (Erratic, Haswell Id.)	Western Q.M.L.	IV. 2
1080	White, granular, vein quartz (Erratic, Haswell Id.)	Western Q.M.L.	IV. 2
1081	Grey, acid, igneous, muscovite-biotite-gneiss (Erratic, Haswell Id.)	Western Q.M.L.	IV. 2
1082	Pink hornblende-granite (Erratic, Haswell Id.)	Western Q.M.L.	IV. 2
1083	Massive greyish-brown quartz (Erratic, Haswell Id.)	Western Q.M.L.	IV. 2
1084	Granular quartz rock. Probably vein quartz in gneiss (Erratic, Haswell Id.)	Western Q.M.L.	IV. 2
1085	Medium-grained hornblende-schist (Erratic, Haswell Id.)	Western Q.M.L.	IV. 2
1086	Fine-grained, acid, grey biotite-gneiss (Erratic, Haswell Id.)	Western Q.M.L.	IV. 2
1087	Fine-grained, pink aplitic granite (Erratic, Haswell Id.)	Western Q.M.L.	IV. 2
1088	Medium grained, white marble (Erratic, Haswell Id.)	Western Q.M.L.	IV. 2
1089	Acid (?) charnockite (Erratic, Haswell Id.)	Western Q.M.L.	IV. 2
1090	Fine-grained, grey biotite-granodiorite (Erratic, Haswell Id.)	Western Q.M.L.	IV. 2

Specimen Number.	Descriptive title, etc.	Locality.	Where cited.
1091	Fine-grained, basic charnockite (Erratic, Haswell Id.)	Western Q.M.L.	IV. 2
1095A	Dark brown, acid charnockite (the main rock type, <i>in situ</i> , Haswell Id.)	Western Q.M.L.	IV. 2
1095B	Dark brown, acid charnockite (<i>in situ</i> , Haswell Id.)	Western Q.M.L.	IV. 2
1095C	Dark brown, acid charnockite (<i>in situ</i> , Haswell Id.)	Western Q.M.L.	IV. 2
1100	Fine-grained, acid charnockite (vein, <i>in situ</i> , at Haswell Id.)	Western Q.M.L.	IV. 2
1101	Vein quartz	Western Q.M.L.	
1102	Massive grey-brown quartz (vein, <i>in situ</i> , Haswell Id.)	Western Q.M.L.	IV. 2
1103	Granite aplite (with fluorite) (vein formation, <i>in situ</i> , Haswell Id.)	Western Q.M.L.	IV. 2
1105	Medium-grained hornblende-plagioclase-schist (from iceberg at Haswell Id.)	Western Q.M.L.	IV. 2
1106	Medium-grained, white hornblende-granite (from iceberg at Haswell Id.)	Western Q.M.L.	IV. 2
1107	Massive grey-brown quartz (from iceberg at Haswell Id.)	Western Q.M.L.	IV. 2
1108	Coarse-grained, massive (crush) gabbro gneiss (from iceberg at Haswell Id.)	Western Q.M.L.	IV. 2
1109	Hornblende-biotite-granite (from iceberg at Haswell Id.)	Western Q.M.L.	
1110	Medium grained, white hornblende-granite (from iceberg at Haswell Id.)	Western Q.M.L.	IV. 4
1114	Garnet-sillimanite-cordierite-muscovite-biotite-gneiss (from pinnacle iceberg in Depot Bay).	Western Q.M.L.	IV. 2
1115	Fine-grained, pink biotite granite (from pinnacle iceberg in Depot Bay)	Western Q.M.L.	IV. 2
1116	Grey, granitic biotite-gneiss (Erratic from pinnacle berg, Depot Bay)	Western Q.M.L.	
1117	Amphibolite (Erratic from pinnacle berg, Depot Bay)	Western Q.M.L.	
1118	Hornblende granodiorite (from pinnacle iceberg in Depot Bay)	Western Q.M.L.	
1120	Red biotite-granite (from two bergs in Depot Bay)	Western Q.M.L.	IV. 2
1121	Fine-grained, highly schistose, hornblende-schist (from icebergs in Depot Bay).	Western Q.M.L.	IV. 2
1122	Fine-grained, pink coloured, granitic crush rock (from icebergs in Depot Bay)	Western Q.M.L.	IV. 2
1123	Acid biotite-gneiss (from icebergs at Depot Bay)	Western Q.M.L.	
1124	Coarse-grained hornblende-granite (from iceberg in Depot Bay)	Western Q.M.L.	IV. 2
1125	Trondhjemitic plagioclase-quartz-mica rock (from icebergs in Depot Bay)	Western Q.M.L.	IV. 2
1126	Coarse-grained hornblende-granodiorite (from icebergs in Depot Bay)	Western Q.M.L.	IV. 2
1127	Coarse foliated granitic crush rock (from icebergs in Depot Bay)	Western Q.M.L.	IV. 2
1128	Biotite-garnet-schist (from icebergs in Depot Bay)	Western Q.M.L.	IV. 2
1129	Medium-grained, biotitic, granitic augen-gneiss (from icebergs in Depot Bay)	Western Q.M.L.	IV. 2
1130	Moderately coarse-grained hornblende-granite (from icebergs in Depot Bay)	Western Q.M.L.	IV. 2
1131	Red biotite-granite (from two icebergs in Depot Bay)	Western Q.M.L.	IV. 2
1132	Coarse, acid hornblende-biotite augen-gneiss (from icebergs in Depot Bay)	Western Q.M.L.	IV. 2
1133	Medium-grained hornblende-granite (from iceberg in Depot Bay)	Western Q.M.L.	IV. 2
1134	Medium-grained hornblende-granite (from iceberg in Depot Bay)	Western Q.M.L.	IV. 2
1135	Grey, foliated, acid hornblende-gneiss (from icebergs in Depot Bay)	Western Q.M.L.	IV. 2
1136	Collection of erratic pebbles from Haswell Island	Western Q.M.L.	
1137	Collection of rock fragments from Gaussberg	Western Q.M.L.	
1138	Red orthoclase in pegmatitic schlier in red granite	Erratic, C.D.	
1139	Red feldspar in granitic pegmatite	Erratic, C.D.	
1140	Cordierite-gneiss	Erratic, C.D.	
1141	Speck of graphite in a water-worn boulder of (?) quartzite	Erratic, C.D.	
1142	Siliceous phyllite—loose block at Cape Hunter (part of Cape Hunter series)	Cape Hunter.	
1143	Massive sillimanite	Erratic, C.D.	
1144	Garnetiferous, granitic gneiss	Erratic, C.D.	
1145	Reddish-brown sandstone with band of argillaceous pebbles	Erratic, C.D.	IV. 11
1146	Ptygmatic folding in gneiss	Erratic, C.D.	
1147	Azurite and malachite in a garnet-feldspar-gneiss	Erratic, C.D.	IV. 12
1148	Coarse garnet-feldspar-biotite-gneiss (related to 711A)	Erratic, C.D.	
1149	Copper ore (bornite) in pegmatitic gneiss	Erratic, C.D.	
1150	Tourmalinised gneiss (related to 15)	Erratic, C.D.	
1151	Tremolite-diopside-marble	Erratic, C.D.	
1152	Diopside-tremolite-marble	Erratic, C.D.	
1153	Carbonate-free, diopside-actinolite-saussurite rock (related to 1154)	Erratic, C.D.	III. 2
1154	Diopside-actinolite-feldspar-injection gneiss (same as 1162)	Erratic, C.D.	IV. 8
1155	Tourmaline-rich, pegmatitic vein in gneiss	Erratic, C.D.	
1156	Coarse red granite, partly chloritised	Erratic, C.D.	
1157	Chloritised biotite-feldspar-gneiss	Erratic, C.D.	
1158	Banded epidote-marble	Erratic, C.D.	
1159	Basic (?) charnockitic gneiss	Erratic, C.D.	
1160	Tremolite-marble	Erratic, C.D.	IV. 8
1161	Banded garnet-biotite-feldspar-quartz-gneiss (near to 586)	Erratic, C.D.	
1162	Diopside-actinolite-feldspar injection-gneiss (same as 1154)	Erratic, C.D.	IV. 8
1163	Epidote-marble	Erratic, C.D.	III. 2
1164	Pyroxene-epidote-marble	Erratic, C.D.	
1165	Epidote-marble	Erratic, C.D.	IV. 8
1166	Pyroxene-epidote-marble	Erratic, C.D.	
1167	Somewhat chloritised, hornblende-plagioclase-gneiss	Erratic, C.D.	
1168	Pyroxene-epidote-marble	Erratic, C.D.	III. 2
1169	Pyroxene-epidote-garnet-marble	Erratic, C.D.	IV. 8
1170	Calcite filling a vein in the dolerite sill at Horn Bluff	King George Id.	
1171	Anthracitic band in carbonaceous sandstone. Occurs adjacent to dolerite sill, Horn Bluff.	King George Id.	IV. 11.

Specimen Number.	Descriptive title, etc.	Locality.	Where cited.
1172	Graphitised impure coal. Horn Bluff	King George Ld.	IV. 11
1173	Ferruginous graphitic plant stem (?) out of coal measures, Horn Bluff	King George Ld.	IV. 11
1174	Typical arkose sandstone. Horn Bluff <i>in situ</i>	King George Ld.	IV. 11
1175	Coarse band in sandstone series at Horn Bluff	King George Ld.	IV. 11
1176	Carbonaceous claystone underlying the sandstones at Horn Bluff	King George Ld.	IV. 11
1177	Typical sandstone with carbonaceous band attached. Horn Bluff	King George Ld.	IV. 11
1178	Purple clay-shale underlying the sandstone and claystone at Horn Bluff	King George Ld.	IV. 11
1179	Sandstone with traces of carbonised plant remains. Horn Bluff	King George Ld.	IV. 11
1180	Hypersthene-alkali-felspar-gneiss	Madigan Nunatak	III. 6
1181	Red sandstone, with indefinite markings	Erratic, C.D.	IV. 11
1182	Mottled sandstone... ..	Erratic, C.D.	IV. 11
1183	Chocolate-coloured siltstone	Erratic, C.D.	IV. 11
1184	Red gritty sandstone	Erratic, C.D.	IV. 11
1185	Light coloured, fine even-grained, sandstone	Erratic, C.D.	IV. 11
1186	Sandstone with wavy red lines as bedding surfaces	Erratic, C.D.	IV. 11
1187	Light pink, even-grained sandstone (near to 751)	Erratic, C.D.	IV. 11
1188	Reddish sandstone	Erratic, C.D.	IV. 11
1189	Somewhat jasperoid, reddish (?) siltstone	Erratic, C.D.	IV. 11
1190	Quartz vein with chlorite intruding a mottled quartzite	Erratic, C.D.	IV. 11
1191	Hornblende schist with green copper stains	Erratic, C.D.	IV. 12
1192	Felspar from pegmatite veins	Cape Denison.	IV. 12
1193	Apatite in a siliceous band in biotite gneiss	Erratic, C.D.	
1194	Biotite in biotite-gneiss	Erratic, C.D.	
1195	Siliceous vein crossing the phyllite series, <i>in situ</i>	Cape Hunter.	
1196	Epidotic veins in phyllite series, <i>in situ</i>	Cape Hunter.	
1197	Siliceous vein with epidote intersecting phyllite series, <i>in situ</i>	Cape Hunter.	
1198	Coarse magnetite in a band of the granodioritic gneiss <i>in situ</i> just west of Living Hut.	Cape Denison.	
1199	Tourmaline and garnet in gneiss	Erratic, C.D.	
1200	Pink, biotite-granite (very similar to granite of 221)	Erratic, C.D.	
1201	Reddish-brown, fine-grained granophyre (like 445)	Erratic, C.D.	IV. 4
1202	Reddish coloured granophyre (related to 222)	Erratic, C.D.	
1203	Reddish-brown felsite with small phenocrysts	Erratic, C.D.	IV. 4
1204	Cordierite-magnetite-garnet-felspar-gneiss	Erratic, C.D.	IV. 10
1205	Cordierite-magnetite-felspar-quartz-gneiss	Erratic, C.D.	IV. 10
1206	Pyrites in quartz stringer in granodiorite gneiss, <i>in situ</i>	Cape Denison.	
1207	Pegmatitic acid gneiss composed of felspar, quartz, muscovite and biotite	Erratic, C.D.	
1208	Tourmaline-rich felspar-quartz-muscovite-pegmatitic gneiss	Erratic, C.D.	
1209	Tourmalinised granitic gneiss	Erratic, C.D.	IV. 7
1210	A highly siliceous felspar-quartz-muscovite-pegmatite with tourmaline	Erratic, C.D.	
1211	Zoisite-biotite-amphibolite-schist	Erratic, C.D.	IV. 7
1212	Dense black mylonite (?)	Erratic, C.D.	
1213	Cataclasite	Erratic, C.D.	IV. 7
1214	Epidote-mica-schist	Erratic, C.D.	IV. 7
1215	Amphibolite	Erratic, C.D.	IV. 5
1216	Biotite-amphibolite	Erratic, C.D.	IV. 5
1217	Amphibolite	Erratic, C.D.	IV. 5
1218	Albite-epidote-chlorite-schist	Erratic, C.D.	IV. 5
1219	Basalt	Erratic, C.D.	IV. 5
1220	Dolerite (somewhat altered)	Erratic, C.D.	IV. 5
1221	Diopside-tremolite rock (compare 877)	Erratic, C.D.	IV. 8
1222	Diopside-actinolite-felspar injection gneiss	Erratic, C.D.	IV. 8
1223	Pyroxene-felspar-gneiss	Erratic, Cape Hunter	
1224	Actinolite rock	Erratic, C.D.	
1225	Dolerite (somewhat altered)	Erratic, C.D.	IV. 5
1226	Hypersthene-gneiss	Madigan Nunatak	III. 6
1227	Hypersthene-alkali-felspar-gneiss	Madigan Nunatak	III. 6
1228	Schistose endolith in the granodiorite at Rookery Cove (B)	Penguin Point.	
1229	Vein in granite at Rookery Cove (B)	Penguin Point.	IV. 3
1230	Hornblende gneiss occurring as an included band in the granodiorite at Rookery Cove (B).	Penguin Point.	
1231	Augen-gneiss	Erratic, C.D.	IV. 7
1232	Coarse hornblende-actinolite (?) segregation in a paragneiss	Erratic, C.D.	
1233	Sillimanite-gneiss	Erratic, C.D.	IV. 7
1234	Acidic, banded hornblende-gneiss	Erratic, C.D.	
1235	Augen-gneiss	Erratic, C.D.	IV. 9
1236	Hornblende-gneiss	Erratic, C.D.	IV. 9
1237	Hornblende-mica-felspar-schist (related to 265).	Erratic, C.D.	
1238	Coarse pegmatitic hornblende gabbroic gneiss	Erratic, C.D.	IV. 9
1239	Biotite-hornblende-microcline-oligoclase-quartz-gneiss (granodioritic)	Erratic, C.D.	IV. 9
1240	Porphyroblastic amphibolite (in character between 865 and 142).	Cape Denison	III. 6
1241	Felspar-quartz-hornblende-biotite banded injection gneiss	Erratic, C.D.	IV. 9
1242	Partly chloritised epidote-felspar-gneiss (apparently identical with 591).	Erratic, C.D.	IV. 6

Specimen Number.	Descriptive title, etc.	Locality.	Where cited.
1243	Mylonite gneiss	Erratic, C.D.	IV. 7
1244	Banded epidote-schist	Erratic, C.D.	
1245	Felsite rich in phenocrysts	Erratic, C.D.	IV. 4
1246	Dark brown coloured felsite	Erratic, C.D.	IV. 4
1247	Greyish-brown felsite with abundant phenocrysts	Erratic, C.D.	IV. 4
1248	Porphyry (like 224A, 919 and 446)	Erratic, C.D.	
1249	Red porphyry (related to 1261)	Erratic, C.D.	
1250	Reddish-brown felsite (like 204)	Erratic, C.D.	
1251	Reddish-brown felsite with abundant phenocrysts	Erratic, C.D.	IV. 4
1252	Brown felsite with small phenocrysts	Erratic, C.D.	IV. 4
1253	Adamellite (related to 833A and the granite of 221)	Erratic, C.D.	
1254	Hypersthene-alkali-felspar-gneiss	Madigan Nunatak	III. 6
1255	Metamorphosed-garnet-sandstone	Erratic, C.D.	IV. 7
1256	Felsite with flow structure	Erratic, C.D.	IV. 4
1257	Epidote-biotite-schist	Erratic, C.D.	IV. 7
1258	Zoisite-biotite-schist (almost identical with 930)	Erratic, C.D.	IV. 7
1259	Garnet-plagioclase-amphibolite	Erratic, C.D.	IV. 5 IV. 12
1260	Garnet-sericite-schist	Erratic, C.D.	IV. 7
1261	Red porphyry	Erratic, Cape Hunter	IV. 4
1262	Pyrite (with calcite and epidote) in saussuritized amphibolite	Cape Denison	IV. 12
1263	Pyrite and magnetite in gneissic adamellite (from near Magnetic Hut)	Cape Denison	IV. 12
1264	Pyrite in quartz vein traversing adamellite gneiss	Cape Denison	IV. 12
1265	Copper-stained rock from the Moraine	Erratic, C.D.	IV. 12
1266	Tourmaline-pegmatite with copper stains	Erratic, C.D.	
1267	Epidotic quartzite	Erratic, C.D.	IV. 7
1268	Arkose	Erratic, C.D.	IV. 11
1269	Pyroxene-epidote-marble	Erratic, C.D.	IV. 8
1270	Cordierite-sillimanite-quartz-felspar composite gneiss	Erratic, C.D.	IV. 10 IV. 12
1271	Pinitised felspar in gneissic pegmatite	Erratic, C.D.	
1272	Quartz reef material	Cape Denison	
1273	Analbite in quartz-felspar-pegmatite vein crossing gneisses near eastern limit of the C.D. rock exposure.	Cape Denison	IV. 12
1274	Saccharoidal quartz with apatite	Erratic, C.D.	IV. 12
1275	Oligoclase, partly sericitised, etc., in quartz reef (trending E. and W.) 200 yards E. of Anemometer	Cape Denison	IV. 12
1276	Adularia in a coarse pegmatitic band in a biotite-sillimanite-gneiss	Erratic, C.D.	IV. 12
1277	Sphene in siliceous schlier in hornblende-gneiss	Erratic, C.D.	IV. 12
1278	Red felspar of an aplitic granite	Erratic, C.D.	IV. 12
1279	Red felspar in aplitic granite (cf. 1278 and 201 (i))	Erratic, C.D.	IV. 12
1280	Galena in drusy vein quartz	Erratic, C.D.	IV. 12
1281	Magnetite in quartzose vein formation traversing gneiss	Erratic, C.D.	IV. 12
1282	Hypersthene-biotite-felspar-gneiss (related to 890 and 962)	Erratic, C.D.	
1283	Chlorite-sericite-schist (like 290)	Erratic, C.D.	
1284	Magnetite in quartz vein traversing gneisses, <i>in situ</i>	Cape Denison	
1285	Amphibole-pyroxene segregation in amphibolite	Erratic, C.D.	
1286	Moonstone and garnet in acid gneiss	Erratic, C.D.	IV. 11
1287	Biotite-oligoclase-gneiss	Erratic, C.D.	
1288	Magnetite-sillimanite-garnet-quartz-felspar injection gneiss	Erratic, C.D.	
1289	Magnetite-garnet-sillimanite-biotite-felspar-injection gneiss	Erratic, C.D.	
1290	Sillimanite-garnet-magnetite-schist	Erratic, C.D.	
1291	Chloritised hornblende in a hornblende-gneiss	Erratic, C.D.	
1292	Dense micaceous hornstone	Erratic, C.D.	
1293	Sillimanite-garnet-biotite-felspar-gneiss	Erratic, C.D.	
1294	Garnet-gneiss injected by quartz-felspar vein	Erratic, C.D.	
1295	Metamorphosed dolerite (Erratic)	Cape Hunter	
1296	Coarse felspar of granodioritic gneiss, <i>in situ</i>	Cape Denison	
1297	Red hornblende granite	Erratic, C.D.	
1298	Granite with basic inclusion, <i>in situ</i> Penguin Pt. (a)	King George Id.	
1299	Red felspar chlorite rock	Erratic, C.D.	
1300*	Tonalite	Delay Point	IV. 2
1301	Metamorphosed dolerite (similar to 1308)	Delay Point	IV. 2
1302	Fine-grained biotite-schist	Delay Point	IV. 2
1303	Fine-grained biotite-schist	Delay Point	IV. 2
1304	Medium-coarse biotite-granite (very like granite of 1310)	Delay Point	IV. 2
1305	Tonalite (rather like but finer grained than 1300)	Between Delay Point and Cape Charcot.	IV. 2
1306	Somewhat foliated coarse pink granite-gneiss	Between Delay Point and Cape Charcot.	IV. 2
1307	Very fine grained biotite-granite (same as 1309)	Between Delay Point and Cape Charcot.	IV. 2
1308	Fine-grained, dark coloured biotite-plagioclase-schist (like 1381)	Between Delay Point and Cape Charcot.	IV. 2

* All the rocks numbered 1300 to 1392 inclusive, collected by A. D. Watson, represent *in situ* material with the exception of any definitely indicated as erratics.

Specimen Number.	Descriptive title, etc.	Locality.	Where cited.
1309	Very fine-grained, pink, biotite-granite	Between Delay Point and Cape Charcot.	IV. 2
1310	Coarse granitic (pink feldspar and quartz) pegmatite associated with finer-grained pink granite.	Between Delay Point and Cape Charcot.	IV. 2
1311	Very fine grained pink biotite-granite (same as 1309)	Between Delay Point and Cape Charcot.	IV. 2
1312	Hornblende-hypersthene-feldspar-schist	Between Delay Point and Cape Charcot.	IV. 2
1313	Somewhat banded, light coloured acid charnockite	Cape Charcot	IV. 2
1314	Medium coloured basic charnockite	Cape Charcot	IV. 2
1315	Dark coloured basic charnockite	Cape Charcot	IV. 2
1316	Light coloured acid charnockite	Cape Charcot	IV. 2
1317	Dark coloured basic charnockite (apparently same as 1315)	Cape Charcot	IV. 2
1318	Highly quartzose, fine granular gneiss	Cape Gerlache	IV. 2
1319	Acid biotite-feldspar-quartz-gneiss (closely related to 1322)	Cape Gerlache	IV. 2
1320	Acid biotite-feldspar-quartz-gneiss (very like 1322)	Cape Gerlache	IV. 2
1321	Quartz rock	Lower part of Cape Gerlache.	IV. 2
1322	Acid biotite-feldspar-quartz-gneiss	Lower part of Cape Gerlache.	IV. 2
1323	Banded biotite-feldspar-quartz-gneiss (very like 1325)	Possession Nunatak	IV. 2
1324	Garnet-amphibolite	Possession Nunatak	IV. 2
1325	Banded biotite-feldspar-quartz-gneiss	Possession Nunatak	IV. 2
1326	Charnockitic pyroxene, biotite-feldspar rock	Mount Barr Smith summit.	IV. 2
1327	Metamorphosed dolerite	Mount Barr Smith summit.	IV. 2
1328	Fine-grained granite	Mount Barr Smith summit.	IV. 2
1329	Fine-grained granitic rock with dark coloured inclusions, (appears to be similar to 1330).	Mount Barr Smith summit.	IV. 2
1330	Fine-grained granitic rock (like 1332) with dark coloured exogenous inclusions	Mount Barr Smith summit.	IV. 2
1331	Banded injection gneiss. Tongues of granular granitic character invading black recrystallised sedimentary rock.	Mount Barr Smith summit.	IV. 2
1332	Fine even-grained granular acid gneiss	Mount Barr Smith summit.	IV. 2
1333	Metamorphosed dolerite	Mount Barr Smith summit.	IV. 2
1334	Banded quartz-feldspar-mica-gneiss	East spur of Mount Barr Smith.	IV. 2
1335	Banded quartz-feldspar-mica-gneiss (identical with 1334)	East spur of Mount Barr Smith.	IV. 2
1336	Quartz vein rock	East spur of Mount Barr Smith.	IV. 2
1337	Quartz-feldspar-tourmaline rock	South-east slope of Mount Barr Smith.	IV. 2
1338	Pegmatitic quartz-tourmaline vein rock	South-east slope of Mount Barr Smith.	IV. 2
1339	Metamorphosed highly quartzose sediment	South-east slope of Mount Barr Smith.	IV. 2
1340	Quartz-tourmaline rock	South-east slope of Mount Barr Smith.	IV. 2
1341	Quartz-tourmaline rock	South-east slope of Mount Barr Smith.	IV. 2
1342	Coarse-grained granite (very like 1346)	Upper part of Cape Gerlache.	IV. 2
1343	Aplitic vein crossing coarse-grained granite (evidently granite 1342)	Upper part of Cape Gerlache.	IV. 2
1344	Aplitic vein in coarse-grained granite	Base of Watson Bluff	IV. 2
1345	Acid hypersthene	Base of Watson Bluff	IV. 2
1346	Somewhat gneissic coarse granite (very similar to 1349)	Base of Watson Bluff	IV. 2
1347	Basic segregation in coarse grained granite (related to 1348)	Top of Watson Bluff	IV. 2
1348	Basic inclusion in coarse granite (coarse granite similar to 1349)	Top of Watson Bluff	IV. 2
1349	Coarse-grained granite	Top of Watson Bluff	IV. 2
1350	Acid igneous gneiss	South outcrop, east fall of David Island.	IV. 2
1351	Banded acid felspathic gneiss (related to 1350)	South outcrop, east fall of David Island.	IV. 2
1352	Banded acid felspathic gneiss (identical with 1350)	South outcrop, east fall of David Island.	IV. 2
1353	Banded acid igneous gneiss	South outcrop, east fall of David Island.	IV. 2

Specimen Number.	Descriptive title, etc.	Locality.	Where cited.
1354	Hypersthene-bearing schist	Middle outcrop, east fall of David Island.	IV. 2
1355	Hypersthene-bearing schist (related to 1354)	Middle outcrop, east fall of David Island.	IV. 2
1356	Hypersthene-bearing schist (related to 1354 and 1355)	Middle outcrop, east fall of David Island.	IV. 2
1357	Hypersthene-gneiss	North outcrop, east fall of David Island.	IV. 2
1358	Hypersthene-gneiss	North outcrop, east fall of David Island.	IV. 2
1359	Chlorite-epidote-albite rock	North end of David Island.	IV. 2
1360	Chlorite-epidote-albite rock	North end of David Island.	IV. 2
1361	Muscovite, etc., rock	North end of David Island.	IV. 2
1362	Vein of pseudo-tachylite crossing granular gneiss, an erratic	Cape Charcot moraine...	IV. 2
1363	Garnetiferous, banded, acid igneous gneiss	Alligator Nunatak ...	IV. 2
1364	Banded igneous gneiss	Alligator Nunatak ...	IV. 2
1365	Chlorite-epidote-albite rock	Alligator Nunatak ...	IV. 2
1366	Chlorite-epidote-albite rock (identically same as 1365)	Alligator Nunatak ...	IV. 2
1367	Chlorite-epidote-albite rock	Alligator Nunatak ...	IV. 2
1368	Coarse-grained granite	East Gillies Nunatak ...	IV. 2
1369	Coarse-grained granite	East Gillies Nunatak ...	IV. 2
1370	Porphyritic hornblende-granite	West Gillies Nunatak ...	IV. 2
1371	Porphyritic hornblende-granite (slightly gneissic)	West Gillies Nunatak ...	IV. 2
1372	Acid felspathic gneiss	South side Hippo Nunatak.	IV. 2
1373	Basic charnockite	South side Hippo Nunatak.	IV. 2
1374	Acid charnockite	South side Hippo Nunatak.	IV. 2
1375	Acid charnockite	South side Hippo Nunatak.	IV. 2
1376	Basic charnockite	South side Hippo Nunatak.	IV. 2
1377	Fine even-grained, pink biotite-granite	Summit Hippo Nunatak	IV. 2
1378	Porphyritic hornblende-granite	Summit Hippo Nunatak	IV. 2
1379	Trondhjemitic oligoclase-biotite rock	Summit Hippo Nunatak	IV. 2
1380	Injection gneiss (meta-dolerite injected into more acid gneiss)	Summit Hippo Nunatak	IV. 2
1381	Meta-dolerite (similar to fine injected bands in 1380)... ..	Summit Hippo Nunatak	IV. 2
1382	Hornblende-granite	Summit Hippo Nunatak	IV. 2
1383	Chlorite-epidote-albite rock	Summit Hippo Nunatak	IV. 2
1384	Chlorite-epidote-albite rock	Summit Hippo Nunatak	IV. 2
1385	Meta-dolerite	Summit Hippo Nunatak	IV. 2
1386	Tonalite	Summit Hippo Nunatak	IV. 2
1387	Chlorite-epidote-albite rock (closely related to 1383)	Summit Hippo Nunatak	IV. 2
1388	Tonalite (like 1386)	Summit Hippo Nunatak	IV. 2
1389	Banded acid charnockite gneiss	Avalanche Cliff ...	IV. 2
1390	Acid charnockite gneiss (similar to finer-grained portions of 1389)	Avalanche Cliff ...	IV. 2
1391	Acid charnockite gneiss (like 1390)	Avalanche Cliff ...	IV. 2
1392	Acid charnockite gneiss, an erratic	Avalanche Cliff moraine	IV. 2
1393	Fine-grained reddish granite with meta-dolerite xenoliths (summit of Mt. Barr Smith).	Eastern Q.M.L. ...	IV. 2
1394	Well foliated pink granite gneiss (Possession Rocks)	Eastern Q.M.L. ...	IV. 2
1395	Coarse-grained acid igneous garnet-hornblende-gneiss (Possession Rocks)	Eastern Q.M.L. ...	IV. 2
1396	Rock chips from the Alligator Nunatak... ..	Eastern Q.M.L. ...	IV. 2
1397	Chip of vein quartz from the Bluff, David Island	Eastern Q.M.L. ...	
1398	Rock chips from the Alligator Nunatak	Eastern Q.M.L. ...	
1399	Gneiss and garnetiferous schist. Erratics from Gaussberg	Kaiser Wilhelm Land.	
1400	Red hornblende augen-gneiss (closely related to 164)	Erratic, C.D.	

SERIES A—continued.

VOL.	PRICE.
IV. GEOLOGY—continued.	£ s. d.
PART 8.—METAMORPHOSED LIMESTONES AND OTHER CALCAREOUS SEDIMENTS FROM THE MORAINES—A FURTHER COLLECTION. By J. O. G. GLASTONBURY 0 3 9	
" 9.—SOME HYBRID GNEISSES FROM THE MORAINES, CAPE DENISON. By J. O. G. GLASTONBURY 0 1 6	
" 10.—REPORT ON A GROUP OF GNEISSES (SILLIMANITIC AND CORDIERITIC) FROM THE MORAINES AT CAPE DENISON. By C. E. TILLEY 0 1 6	
" 11.—SEDIMENTARY ROCKS. By DOUGLAS MAWSON 0 4 0	
" 12.—RECORD OF MINERALS OF KING GEORGE LAND, ADELIE LAND AND QUEEN MARY LAND. By DOUGLAS MAWSON 0 4 0	
" 13.—CATALOGUE OF ROCKS AND MINERALS COLLECTED ON ANTARCTIC LANDS. Prepared by DOUGLAS MAWSON 0 3 0	
V. GEOLOGY.	
THE GEOLOGY OF MACQUARIE ISLAND. By L. R. BLAKE and DOUGLAS MAWSON.	

SERIES B.

I. TERRESTRIAL MAGNETISM.	
PART 1.—FIELD SURVEY AND REDUCTION OF MAGNETOGRAPH CURVES. By ERIC N. WEBB	} 1 10 0
" 2.—ANALYSIS AND DISCUSSIONS OF MAGNETOGRAPH CURVES. By CHARLES CHREE	
II. TERRESTRIAL MAGNETISM AND RELATED OBSERVATIONS.	
PART 1.—RECORDS OF THE AURORA POLARIS. By DOUGLAS MAWSON 0 15 0	
" 2.—TERRESTRIAL MAGNETIC DISTURBANCE AND ITS RELATIONS TO AURORA 0 15 0	
" 3.—MAGNETIC DISTURBANCE AT CAPE DENISON. By J. M. STAGG	
" 4.—THE TRANSMISSION OF WIRELESS SIGNALS IN RELATION TO MAGNETIC AND AURORAL DISTURBANCES. By C. S. WRIGHT	
III. METEOROLOGY.	
THE RECORD OF THE MACQUARIE ISLAND STATION. Compiled under the direction of H. A. HUNT, Commonwealth Meteorologist, by Messrs. AINSWORTH, POWER and TULLOCK, Commonwealth Meteorological Bureau 2 0 0	
IV. METEOROLOGY.	
THE RECORD OF THE CAPE DENISON STATION, ADELIE LAND. By C. T. MADIGAN 1 10 0	
V.	
PART 1.—RECORDS OF THE QUEEN MARY LAND STATION	} 2 0 0
" 2.—METEOROLOGICAL LOG OF THE S.Y. "AURORA"	
" 3.—SLEDGE JOURNEY: WEATHER RECORDS	
APPENDIX.—Macquarie Island Weather Notes for 1909-1911. TABULATED AND EDITED BY DOUGLAS MAWSON.	